



**ΕΙΣΑΓΩΓΕΣ - ΑΝΤΙΠΡΟΣΩΠΕΙΕΣ ΗΧΗΤΙΚΩΝ ΣΥΣΤΗΜΑΤΩΝ**

**GRAHAM Audio- ROCKNA AUDIO –AUDIOBYTE -GOLDNOTE –BLACKNOTE - WA QUANTUM CHIPS  
AUDIO MUSIC ΚΕΝΤΡΟ ΑΥΧΝΙΩΝ – NEXUS AC POWER - TRAFOMATIC – THE TUBE AMP DOCTOR YPSILON-  
HI FI TUNING- HANNL- BOSENDORFER- MELODY- FURUTECH- KORATO - ROSSO FIORENTINO  
EVERYTHING BUT THE BOX- CEC- NBS CABLES - JJ Electronics – EMILLE - MUNDORF- JANTZEN  
TENT LABS- MUDRA AKUSTIK- JL SOUNDS -NEXUS MONITORS JENSEN- EMISSION LABS- LUNDAHL  
DUELUND - XAITAS ISOLATORS - HYPEX DIGITAL- ALPS IeGO- CARDAS - DACT- KIMBER- -ELNA  
BYBEE- HAMMOND – TRIAD- CORNELL DUBILIER.**

**Ρ.ΦΕΡΡΑΙΟΥ 24. Π.ΦΑΛΗΡΟ 175-63**

**2018 / 07**

**ΤΗΛ : 210- 9850286 / 210-9830207**

**[xaitas1@gmail.com](mailto:xaitas1@gmail.com)**

**[WWW.NEXUSACOUSTICS.COM](http://WWW.NEXUSACOUSTICS.COM)**

**[WWW.THENEXUSACOUSTICS.BLOGSPOT.GR](http://WWW.THENEXUSACOUSTICS.BLOGSPOT.GR)**

**<http://www.cec-international.com/>**



**CEC TL O 3.0 CD TRANSPORT** *The Absolute Reference*

|  |                     |  |          |
|--|---------------------|--|----------|
|  | <b>CD TRANSPORT</b> |  | <i>e</i> |
|--|---------------------|--|----------|

|                       |  |   |                |
|-----------------------|--|---|----------------|
| <p><b>TUBE-53</b></p> | <p><b>TUBE-53 INTEGRATED AMPLIFIER</b></p> <p><i>2 X 20 Watt Push-Pull Triode .<br/>4 x 6L6GC 4 x ECC-82 3 εισοδοι line –<br/>Προστατευτικο καλλυμα απο Πορμαχο γυαλι.</i></p>  <p style="text-align: right;"><i>16 kgr</i></p>   |    | <p>3.540 e</p> |
| <p><b>TLO 3.0</b></p> | <p><b>CD Transport</b>, Double Belt Drive .<br/>Digital output: TOS, COAXIAL, AES/EBU (XLR) , SUPERLINK (BNC)</p> <p>Colour: Silver-Black</p>  |    | <p>22.700</p>  |
| <p><b>TL IN</b></p>   | <p><b>CD TRANSPORT</b>, Double Belt Drive .<br/>Digital output: TOS, COAXIAL, AES/EBU (XLR) , SUPERLINK (BNC)</p> <p>Colour: Silver-Black</p>  |   | <p>13.980</p>  |
| <p><b>TL 5</b></p>    | <p><b>CD TRANSPORT</b> Belt Drive</p> <p>Digital Output: AES EBU -Coaxial -Tos link<br/>Colour: Silver- Black</p>  <p><i>In CEC TL 5 Belt-Drive the spindle motor is placed independently from the center shaft and vibration as well as electromagnetic noise effect to the CD are thus minimized. A heavy CD stabilizer provides bigger inertia of turntable and achieves a stable and smooth rotation of discs. Smaller torque motor and longer distance from the motor to the center shaft (turntable) create the ideal fundamentals of music reproduction.</i></p>  |  | <p>2.980</p>   |

**DA 3N**

**DAC , digital inputs: TOS, COAXIAL, AES/EBU (XLR), Superlink (BNC), USB 2.0, Master Clock(BNC), Analog outputs: balance fixed XLR, variable XLR as PRE-AMP, unbalanced fixed RCA, variable RCA as PRE-AMP, Headphone (6,3mm).**



*Colour: Silver-Black*

3.590

**CD 5**

**CD PLAYER**, Belt Driver, digital output: COAXIAL -TOS.

**Digital Inputs / Sampling frequency COAXIAL x 1: SPDIF 24bit / 32 ~ 192kHz**  
**TOS x 1: SPDIF 24bit / 32 ~ 192kHz**  
**USB2.0 x 1: PCM 32bit / 32 ~ 384kHz, DSD64 / 2.8224 ~ **DSD128** / 5.6448MHz**  
**DAC ESS ES9018K2M x 1**  
**CD5 takes advantage of ESS DAC chip. Its spots USB input, corresponds to the DoP playback of DSD128 / 5.6MHz and supports PCM32bit / 384kHz of high-resolution sound files.**  
**Finalized music CD-R / RW**



3.470



*Colour: Silver-Black*




*Belt Drive*





**PH-53**

**PHONO PREAMPLIFIER PH-53**  
**BALANCED CURRENT INJECTION MC 10Ω-100Ω XLR**  
**MM 47 KΩ – 1KΩ RCA**  
**RIAA with Neumann time constant +-0.25Db**  
**Out : RCA – XLR**  
**Zero feedback with no dynamic distortion .**  
**Προτείνεται XLR-DS110 για σύνδεση Phono Cable**  
**120 cm 5 pin → XLR**



1.170



|                              |   |   |       |
|------------------------------|---|---|-------|
| <b>ASB3545<br/>WF</b>        | <i>Βάση CEC Wellfloat Boards – patented pendulum movement<br/>floating suspension system</i><br><b>35 x 45 x 5,8 cm</b> 9 kgr |   | 1.240 |
| <b>**<br/>XLR-<br/>DS110</b> | <i>Special Phono Cable 120 cm</i> <b>5 pin → XLR</b><br><i>Για οδηγηση Phono stage balanced</i>                               |  | 580   |
|                              | <i>TL 0X, TL 1N, TL 3N, CD 3N, DA 3N are<br/>100% <b>made in Japan.</b></i>   |   |       |



**Nexus Acoustics**



Ρ.ΦΕΡΑΙΟΥ 24  
Π.ΦΑΛΗΡΟ 175-63

T: 210.9850286, 210.9830207  
K: 693.2404012

[www.nexusacoustics.com](http://www.nexusacoustics.com)  
[www.thenexusacoustics.blogspot.gr](http://www.thenexusacoustics.blogspot.gr)  
e-mail: [xaitas1@gmail.com](mailto:xaitas1@gmail.com)



ΕΙΣΑΓΩΓΕΣ - ΑΝΤΙΠΡΟΣΩΠΕΙΕΣ ΗΧΗΤΙΚΩΝ ΣΥΣΤΗΜΑΤΩΝ

GOLD NOTE - GRAHAM AUDIO - ROCKNA - AUDIOWAY  
WA QUANTUM CHIPS - CEC - NEXUS AC POWER  
TRAFOMATIC - YPSILON - HI FI TUNING - BOSENDORFER - MELODY  
KORATO - ROSSO FIORENTINO  
JJ ELECTRONICS - XAITAS ISOLATORS - IcGO  
EMILLE - MUNDORF - JENSEN - EMISSION LABS  
LUNDAHL DUELLUND - ELNA - BYBEE - HAMMOND - TRIAD