



**ΕΙΣΑΓΩΓΕΣ - ΑΝΤΙΠΡΟΣΩΠΕΙΕΣ ΗΧΗΤΙΚΩΝ ΣΥΣΤΗΜΑΤΩΝ .**

**2017/10**

**GRAHAM Audio- ROCKNA AUDIO –AUDIOBYTE -GOLDNOTE –BLACKNOTE - WA QUANTUM CHIPS  
AUDIO MUSIC- VACUUM TUBES – NEXUS AC POWER - TRAFOMATIC – THE TUBE AMP DOCTOR – YPSILON  
HI FI TUNING- HANNL- BOSENDORFER- MELODY- KORATO - ROSSO FIORENTINO  
EVERYTHING BUT THE BOX- CEC- JJ Electronics - EMILLE - MUNDORF- JANTZEN -TENT LABS  
MUDRA AKUSTIK- JL SOUNDS -NEXUS MONITORS - JENSEN- EMISSION LABS- LUNDAHL- DUELUND XAITAS  
ISOLATORS - ALPS - IeGO - CARDAS - DACT- KIMBER--ELNA- BYBEE- HAMMOND .**

**Ρ.ΦΕΡΡΑΙΟΥ 24. Π.ΦΑΛΗΡΟ 175-63**

**ΤΗΛ : 210- 9850286 / 210-9830207 xaitas1@gmail.com xaitas@acci.gr**

**[WWW.NEXUSACOUSTICS.COM](http://WWW.NEXUSACOUSTICS.COM)**

**[WWW.THENEXUSACOUSTICS.BLOGSPOT.GR](http://WWW.THENEXUSACOUSTICS.BLOGSPOT.GR)**



**[GOLDNOTE - FLORENCE Italy](http://WWW.GOLDNOTE.IT)**

**Ανακαλύψτε τον κόσμο της GOLD NOTE μιας Αναλογικής εταιρίας με προϊόντα  
εξαιρετικής Μουσικότητας και Τιμής. [WWW.GOLDNOTE.IT](http://WWW.GOLDNOTE.IT)**

**• ΠΙΚΑΠ - ΒΡΑΧΙΟΝΕΣ - ΚΕΦΑΛΕΣ - CD - DAC - ΕΝΙΣΧΥΤΕΣ - ΗΧΕΙΑ - ΗΧΟΜΟΝΩΤΙΚΑ –ΑΞΕΣΟΥΑΡ •**



*Ολοκληρωμενος Εισχυτης , Phono Stage , Streamer .*

*Imagine a complete High-End stereo system enclosed in a beautiful aluminum chassis carved in bold Italian style: this is IS-1000.*

*With the knowledge and the experience developed in over 20 years of research, we are now able to offer an all-in-one solution powered by the most advanced technologies and components to achieve true audiophile quality sound.*

*IS-1000 is an advanced fully integrated amplifier that redefines the way music playback is experienced to achieve a new pinnacle in High-End audio, seamlessly merging a Preamplifier, a Power Amplifier, a Phono Preamp, a DAC and a Streamer in a unique, complete source.*

*The refined technical innovations of IS-1000 come directly from our flagship models, like the [preamplifier P-1000](#) and the [power amplifier PA-1175](#), which inspired us to create a new source that would integrate the analogue components of a high quality amplifier with the digital technologies of a Streamer and a DAC to deliver outstanding performances.*



**DS-1000**

*DS-1000 DAC with integrated DSD Streamer & D/A Converter . FULL CAPABLE DSD DIGITAL PLAYER, STREAMER, NET PLAYER, SERVER and D/A CONVERTER .Performing DSD audio files from the net via LAN or W/LAN (WiFi) with integrated State-of-the-Art DSD USB D/A Converter with Coax and Optical input vertically integrated.*

4.750

**New  
2017**



*With  
analog  
ue  
stage  
+ 950*

*The DS1000 is also able to play Internet web station working as player and streamer The DS-1000 plays directly HDD and USB memories via two USB A ports avoiding the internal built in memories. Besides the DS1000 is a net player working W/LAN and LAN and also with NAS. The unit also integrates a D/A Converter playing all audio formats up to DSD 64/128. The DS-1000 optionally features an integrated preamplifier and balanced analogue input. The Gold Note proprietary SKC and TFT display allow intuitive full unit control conveniently played by a single knob. The unit also is fully controlled WiFi: 802.11b/g. Digital input: one RCA S/PDIF coaxial and one TOS-optical asynchronous 24/192*

*USB: asynchronous DSD 64/128 and PCM up to 24/192 High Speed 2.0 port . USB: two USB-A front ports to feed USB flash memories, HDD FAT & NTFS*

*Analogue input (optional): Stereo balanced XLR.THD – Total Harmonic Distortion: 0.001% max Signal to noise ratio: -125dB*

*Dynamic response: 129dB*

*Output impedance: 50ohm*

*Phase response: linear phase, absolute phase inverted*

*Digital filter: proprietary Zero-Clock circuit enabling three different Master Clock*

*Volume control: switchable On/Off Digital partializer. LAN/WLAN WiFi: 802.11b/g via RJ45*

*10/100Mbps socket and Antenna .Infrared remote: RC5 proprietary code Supported audio formats. AIFF (.aif, .aiff, .aifc) WAV (.wav) packed/unpacked. FLAC WmA Windows media Audio 9WAX Windows media audio metafiles .ASX Advanced Stream Redirector (.asx) .MPEG-4 Advanced Audio coding File, .aac, .m4a including Apple lossless MP3*

**GOLD NOTE MODULAR DESIGN**

*Innovative unique modular design performing a variety of external units including two Class-A tube output stages, Atomic Master Clocks and High Power Supplies*

**PREAMP AND STEREO ANALOGUE INPUT STAGE (Optional)**

*Two options integrated preamplifier stage and balanced input to perform a full vertically integrated unit able to drive an audio system on its own.*

**Upgrades**

**TUBE-1012:** *Class-A 12 Tubes output stage with inductive tube power supply*

**PSU-1250:** *Dual-Mono 250Watt Super External Power supply*

*Preamp Stage: PGA electronically control single resistor dual-mono volume control preamp*

*Analogue input: Stereo balanced XLR*

*External AC filter: Gold Note Lucca AC distributor*

*Other: Gold Note Lucca power chord*

**P-1000**

*ΠΡΟΕΝΙΣΧΥΤΗΣ BALANCED Line Level- Remote control .*

5.870



*With digital input 6.500*

*Upgrades :*

*TUBE-1012: Class-A 12 Tubes output stage with inductive tube power supply*

*PSU-1250: Dual-Mono 250Watt Super External Power supply*

*External AC filter: Gold Note Lucca AC distributor*



*Other: Gold Note Lucca power chord .*

**PA-1175**

*Stereo Power Amplifier –2 x 175 Watt / 8 Ω .Full balanced selectable RCA or XLR output –  
Bridged Mono Amplifier for 350 Watt /8 Ω .  
Adjustable Damping Factor 25-250.*

4.770



**PIANOSA**



**HIGH PRECISION SYSTEM**

*Pianososa features our high precision platter bearing/spindle design with the best coupling tolerance available today: the spindle is made of the hardest carbon rectified and hardened steel to guarantee perfect rotational stability and the bearing is made of polished bronze with a 2/100 mm tolerance*

**EXTRA RIGIDITY AND DAMPENING**

*Pianososa is built with a multiple plinth structure, with a 50mm curved plinth in Italian Walnut hardwood slats and a lacquered MDF plinth for optimal structural stability. The curved wooden plinth is reinforced with a stainless steel board and the black lacquered MDF plinth to achieve the best vibrational control.*

**EASY SET UP**

*Ready to play out of the box, the set up includes a dedicated **GOLD NOTE B5.1 TONE ARM** and a custom moulded transparent ultra resistant removable polycarbonate Dust Cover.*

**PWM MOTOR TECHNOLOGY**

*Pianososa features a power control generator based on PWM [Pulse Width Modulation] that transforms the voltage from AC to DC and back to AC, the two AC semi-waves are perfectly coupled to minimise vibrations while providing high torque*

WALN  
UT

2.750

Black  
laquer  
2.450

**MEDITERRANNEO**

*Turntable - Belt driven Turntable made of triple isolated 15mm black acrylic plinth, 3mm Titanium plinth and 50mm machined curved Olive Tree natural or black painted solid wood enables the best rigidity and frequency control – Black Vinyl extra weighted Platter - 470mm Large x 360mm Deep – 12Volt electronic PSU and PWM Speed Control – included **B-5 Tonearm** and Synchronus moter .*

**B-7 CERAMIC TONEARM + 770 e**











Με  
βαση  
απο  
Ιταλικη  
καρδια





5.770

Μαυρη  
Λακα


4.860

<p><b>GIGLIO</b></p>	<p>Turntable - Belt driven Turntable made of double isolated 20mm black acrylic plinth, 3mm Aluminium plinth and 50mm machined curved natural Walnut for high rigidity and frequency control – Vinyl Platter - 425mm Large x 360mm Deep – 12 Volt electronic PSU and PWM Speed Control – <b>included B5.1 ARM</b> and Synchronus Moter.</p> 	<p>Με βαση απο Ιταλικη καρδια . 3.880  BLACK LACQU ER 3.490</p>
<p><b>Fiorino TSC</b> Turntable Speed Control</p>	<p>Turntable Speed Control – The Fiorino TSC allows any Gold Note turntable ever made be controlled by a 12V synchronous motor with 33/45 adjustable speed control. The Kit contents Motor and PSU.</p>  <p>Μετατρεπει ολα τα προηγουμενα μοντελλα και προσφερει σημαντικη βελτιωση.</p>	<p>420</p>
<p><b>FIORINO USB</b></p>	 <p>USB D/D Converter – USB to S/Pdif coaxial output converter - 24/192 res. asynchronous USB High Speed port - Plays all kind of audio up to 192kHz – Self-Powered</p>	<p>280</p>
<p><b>FAVARD ANNIVERSARY</b>  CD PLAYER TUBE</p>	 <p>CD Player - Battery Inductive Multiple Power supply with tube - XLR Balanced Output – RCA coax.dig. output – 12 Tubes – 10 transformers 4 of which inductors – Double 6A batteries</p> 	<p>13.300</p>

<b>STIBBERT TUBE</b>	<p>CD PLAYER 24 bit –192 KHZ  ME ΛΥΧΝΙΕΣ E88CC ΣΤΗΝ ΕΞΟΔΟ</p> <p>→ ΜΕΤΑΛΛΙΚΟ ΘΛΑΕΚΟΝΤΡΟΑ + 70 E</p> 	3.670
<b>STIBBERT  BLACK PEARL III</b>	<p>CD PLAYER 24 bit –192 KHZ  ME ΛΥΧΝΙΕΣ E88CC ΣΤΗΝ ΕΞΟΔΟ / TRUE BALANCED TUBE OUTPUT STAGE/  <b>DUMBO AC ISOLATOR</b> Stream Unlimited mechanism JPL2580 / alluminium drawer</p> 	4.650 + 480
<b>KOALA MINI  GOLD NOTE</b>	<p>CD PLAYER 24-192 KHZ – SOLID STATE OUTPUT</p> 	1.160
<b>STIBBERT -SOLID  STATE</b>	<p>CD PLAYER 24 bit –192 KHZ  True balanced outputs . Stream Unlimited mechanism JPL2580 / alluminium drawer</p> 	3.580
<b>KOALA CD TUBE  GOLD NOTE</b>	<p>CD PLAYER 24-192 KHZ  ΣΤΑΙΟ ΕΞΟΔΟΥ ΜΕ ΛΥΧΝΙΕΣ - TRUE BALANCED OUTPUT</p> 	1.780
<b>KOALA S/S  ANNIVERSARY</b>	<p>- Koala <b>Solid State Anniversary</b>- D/A converter featuring SPDIF <b>digital input</b>. Stream Unlimited mechanism JPL2580 / plastic drawer</p>  <p><i>New aluminium luxury remote control</i></p>	1.890
<b>KOALA CD  TUBE  GOLD NOTE</b>	<p>CD PLAYER 24-192 KHZ - TUBE OUTPUT SINGLE-ENDED  ΜΗΧΑΝΙΣΜΟΣ <b>PHILIPS GYR-FALCON</b> NEW ALUMINIUM  TRUE BALANCED OUTPUT – ZERO CLOCK –  2,5 V OUTPUT /800Ω - <b>NEW DISLPAY</b> -</p> 	1.990
<b>HPREAMP -7  MICRO LINE</b>	<p>HP-7 ΠΡΟΕΝΙΣΧΥΤΗΣ &amp; ΕΝΙΣΧΥΤΗΣ ΑΚΟΥΣΤΙΚΩΝ  ΘΛΑΕΚΟΝΤΡΟΑ - ΕΙΣΟΔΟΙ: 1pr RCA &amp; 1pr XLR  ΕΞΟΔΟΙ: 1pr RCA &amp; 1pr XLR – LINE OUT: 1pair RCA &amp; 1pair  XLR - Internal Hybrid Power Supply - External Power  Supply (Optional) . <b>BLACK - SILVER</b></p>  <p>TRUE BALANCED <span style="float: right;">20 x 8 x 30 cm</span></p>	890

<p><b>CD-7</b></p> <p>MICROLINE</p>	<p>CD PLAYER ΕΞΟΛΟΙ: 1pr RCA &amp; 1pr XLR true balanced Internal Hybrid Power Supply - External Power Supply (Optional) . BLACK - SILVER</p>  <p>20 χ 8 χ 30 cm</p>	<p>860</p>
<p><b>PH-1 new</b></p>	<p>PHONO MM &amp; MC Phono Preamp – MM &amp; MC – single RCA Input - RCA Output – High Gain 68dB MC and 48dB MM</p>  <p>10 Π x 10,5 Υ x 26 Β      3,5 kgr</p>	<p>670</p>
<p><b>PH-11</b></p>	<p>PHONO MM &amp; MC 3 chassis Phono Preamp - MM &amp; MC - INPUT: 1pr RCA - RCA and XLR analogue output – quadruple external battery power supply – High Gain 72dB MC and 48dB MM</p>	<p>4.850</p>
<p><b>PH-10</b></p> <p>New model 2016</p>	<p>PHONO PH-10 MM &amp; MC – two separate RCA Inputs για 2 Πικαπ - RCA and XLR balanced Output – selectable variable load χ 9 με micro switches – High Gain 68dB MC and 48dB MM 3 equalization curves : RIIA / DECCA LONDON / AMERICAN COLUMBIA USB software update – <b>Οθονη TFT λειτουργιών</b> και απεικόνισης ρυθμίσεων – Ρυθμίσεις απο ενα περιστρεφομενο κουμπι με software. Δεχεται προσθετα : εξωτερικο Λαμπατο σταδιο εξοδου class A` - εξωτερικο Τροφοδοτικο με choke DC.</p>  <p>Silver – Black –Red-Gold</p>	<p>1.360</p>
<p><b>PSU-1</b></p> <p>for PHONO</p>	<p>Power Supply Unit - Super External PSU to be matched to <b>PH1 and PH2</b> phono preamplifier</p>	<p>690</p>
<p><b>PH-7 MKII</b></p> <p>MICRO LINE</p>	<p>PHONO PH-7 MM &amp; MC      BLACK - SILVER</p>  <p>20 χ 8 χ 30 cm</p>	<p>850</p>
	<p>ΠΡΟΣΟΨΗ SILVER για PHONO 7 MK II</p>	<p>95</p>







<b>AP-7</b>  <b>MICRO LINE</b>	<b>ΕΝΙΣΧΥΤΗΣ ΟΛΟΚΑΗΡΩΜΕΝΟΣ 2 X 30 W</b> <b>ΤΗΛΕΚΟΝΤΡΟΛΑ 3 RCA input – 2 XLR input -. 1 RCA Pre-Out)</b> <b>BLACK - SILVER</b>   20 x 8 x 30 cm	980
<b>DUMBO AC ISOLATOR</b>	<b>DUMBO AC ISOLATOR 100 W ΓΙΑ CD – PRO – ΠΙΚΑΠ .</b>  	480
<b>BLACKNOTE DSS-15</b>	<b>DAC USB SERVER 192 KHZ – ΑΥΤΟΝΟΜΟ ΜΕ ΟΘΟΝΗ .</b>  <b>ΤΗΛΕΚΟΝΤΡΟΛΑ &amp; VOLUME ΠΡΟΕΝΙΣΧΥΤΗ</b> <b>- TRUE BALANCED OUTPUTS 24-192KHZ</b>  	2.250
<b>BLACKNOTE DSS-15 TUBE</b>	<b>DAC USB SERVER 192 KHZ – ΑΥΤΟΝΟΜΟ ΜΕ ΟΘΟΝΗ .</b>  <b>ΤΗΛΕΚΟΝΤΡΟΛΑ &amp; VOLUME ΠΡΟΕΝΙΣΧΥΤΗ</b> <b>TRUE BALANCED OUTPUTS - 24-192KHZ</b> <b>-ΑΥΧΝΙΕΣ ΕΞΟΔΟΥ 2 x E88CC / 6922</b>  	2.450
<b>DSF External Screen</b>	<b>DSS SCREEN FOUR External screen to connect on the DSS via RS232 port –Glossy Black or Transparent.</b>  	490
<b>BLACK NOTE DAC-15</b>	<b>BLACKNOTE DAC-15 / USB-2 ΤΡΙΣΔΙΑΣΤΑΤΗ ΟΘΟΝΗ</b>    24-192KHZ - VOLUME  <b>ΚΑΡΤΑ REC A/D Analogue to digital converter</b> <b>ANALOGUE RECORDING KIT for USB DAC – Stereo input analogue set-up to install on the USB DAC units to record in a computer any analogue source @ HD 24bit resolution</b>	2.140
<b>USB STICK MUSIC</b>	<b>USB STICK MUSIK - SAMPLERS Blacknote® 4Gb USB sticks with included a selection of music samples 16 and 24 bit plus one full 24bit 96KHz original record of your choice about Classical, Jazz, Modern and Latin music.</b>	39,00
<b>UPGRADE KIT KOALA</b>	<b>Mundorf 4 Supreme caps / Mlytic– furutech iec – Nichikon Organic Polymer caps</b>	+440
<b>STROBO VILLA</b>	<b>ΣΤΡΟΒΟΣΚΟΠΙΚΟΣ ΔΙΣΚΟΣ 33 1/3 - 45 - 78 WHITE</b>	14,50
<b>GEL MAT</b>	<b>Turntable GEL mat – made of special Techno Gel self adhesive to stick the vinyl extra high damping effect Black</b>	54,70
<b>GEL MAT new</b>	<b>Turntable GEL mat – made of special Techno Gel self adhesive to stick the vinyl extra high damping effect White</b>	57,50
<b>FELT MAT</b>	<b>Turntable FELT mat – made of special polyester fibre with high damping effect Brown</b>	26,50
<b>ΚΑΠΑΚΙ ΠΙΚΑΠ</b>	<b>NEXUS ΠΛΕΞΙΓΚΛΑΣΣ 52cm x 43 cm x 25 cm</b>	190

<b>PROTRACTOR NEW</b>	<i>PROTRACTOR NEW &amp; OVERHANG + ΣΤΡΟΒΟΣΚΟΠΙΟ 50 Hz - thin rigid plastic . Για όλους τους Βραχιόνες .</i>  	16,60
	<i>GOLDNOTE STYLUS BRUSH</i>	7,70
	<i>GOLDNOTE PRECISION STYLUS GAUGE</i> <i>GOLDNOTE PRECISION SPIRIT LEVEL</i> 	21,50
	<i>GOLDNOTE ULTRA FLUID BEARING OIL</i>	45,80
	<i>GOLDNOTE BAERWALD PROTRACTOR</i>	21,20
<b>HINGES</b>	<i>TURNTABLE HINGES – ( Μεντεσεδες για καπακι )</i>	10,90
<b>DIN 5 PIN FEMALE</b>	<i>ΒΥΣΜΑ 5 DIN MALE - για βραχίονα Goldnote</i>	22,80
<b>DECK 12</b>	<i>ΠΙΚΑΠ ΜΕ ΟΔΗΓΗΣΗ ΙΜΑΝΤΑ ΣΤΑΘΕΡΟ, ΒΑΣΗ 30mm ΞΥΛΟ - ΑΚΡΥΛΙΚΟ ΠΛΑΤΩ 20mm - ΒΡΑΧΙΟΝΑΣ U-3 Unipivot .</i>  	27,50
<b>VALORE COMPACT</b>	<i>ΠΙΚΑΠ ΜΕ ΟΔΗΓΗΣΗ ΙΜΑΝΤΑ ΣΤΑΘΕΡΟ ΠΛΑΤΩ ΑΚΡΥΛΙΚΟ 40 x 36 mm HDM MOTER High dampened motor &amp; ΒΡΑΧΙΟΝΑΣ B-5 sc</i>  <b>SMOOTH WHITE</b> 	890
<b>VALORE LEATHER Italian Job</b>	<i>ΠΙΚΑΠ ΜΕ ΟΔΗΓΗΣΗ ΙΜΑΝΤΑ ΣΤΑΘΕΡΟ ΕΠΕΝΔΥΣΗ ΔΕΡΜΑΤΟΣ ΕΞΑΙΡΕΤΙΚΗ ΑΚΡΥΛΙΚΟ ΠΛΑΤΩ ΔΙΑΦΑΝΕΣ 20mm - ΒΡΑΧΙΟΝΑΣ B-5 SC 40 x 36 mm</i>  <b>WHITE LEATHER</b> 	1.380
<b>VALORE LEATHER Italian Job</b>	<b>LEATHER RED / GREEN</b> 40 x 36 mm 	1.590

<p><b>VALORE PLUS- 425</b></p>	<p><i>Turntable - Belt driven rigid Turntable made of 30mm MDF plinth – Acrylic Platter – Supplied with 9” B-5 arm and Dust Cover – 425mm Large x 360mm Deep – 12Volt External PSU and Speed Control</i></p> 	<p><b>FULL ACRYLIC or Leather</b></p> <p>1.470</p> <p><b>BLACK MAT</b></p> <p>1.280</p>
<p><b>VALORE- 400</b></p>	<p><i>Turntable - Belt driven rigid Turntable made of 30mm MDF plinth – Acrylic Platter – Supplied with 9” B-5 SC Arm and Acrylic Dust Cover . AC synchronous 24 Pole Motor 230 V – 425mm x 360mm</i></p> 	<p><b>WHITE</b></p> <p>880</p>
<p><b>PICOLLO</b></p>	<p><i>ΠΙΚΑΠ ΜΕ ΟΔΗΓΗΣΗ ΙΜΑΝΤΑ ΣΤΑΘΕΡΟ, ΒΑΣΗ 30mm ΑΚΡΥΛΙΚΗ ΔΙΑΦΑΝΗΣ- ΑΚΡΥΛΙΚΟ ΠΛΑΤΩ ΔΙΑΦΑΝΕΣ 20mm - ΒΡΑΧΙΟΝΑΣ Β-5 ΚΑΛΛΥΜΑ ΑΚΡΥΛΙΚΟ EXTRA &amp; HINGES 260 e.</i></p> 	<p>1.340</p>
<p><b>BELLAVISTA new improved</b></p>	<p><i>ΠΙΚΑΠ ΣΤΑΘΕΡΟ ΜΕ ΙΜΑΝΤΑ ΑΠΟ ΓΥΑΛΙΣΜΕΝΟ ΑΚΡΥΛΙΚΟ ΚΑΙ ΧΑΛΚΟ . ΠΗΓΑΔΙ &amp; ΑΞΟΝΑΣ ΚΑΤΑΣΚΕΥΑΣΜΕΝΑ ΑΠΟ ΕΙΔΙΚΟ ΚΡΑΜΑ ΚΑΙ TEFLON</i>  <b>ΒΡΑΧΙΟΝΑΣ U-3 UNIPIVOT</b>  <i>ΚΑΛΛΥΜΑ ΑΚΡΥΛΙΚΟ EXTRA 260 e.</i></p> 	<p>2.250</p> <p><b>+ 780 e</b></p>

<b>BELLAVISTA</b> <i>Signature</i>	ΠΙΚΑΠ ΣΤΑΘΕΡΟ ΜΕ ΙΜΑΝΤΑ ΔΙΠΛΗΣ ΒΑΣΗΣ ΑΠΟ ΓΥΑΛΙΣΜΕΝΟ ΜΑΥΡΟ ΑΚΡΥΛΙΚΟ ΚΑΙ ΓΥΑΛΙΣΜΕΝΟ ΧΑΛΚΟ . ΠΗΓΑΔΙ & ΑΞΟΝΑΣ ΚΑΤΑΣΚΕΥΑΣΜΕΝΑ ΑΠΟ ΕΙΔΙΚΟ ΚΡΑΜΑ ΚΑΙ TEFLON - <b>ΧΩΡΙΣ ΒΡΑΧΙΟΝΑ</b> ΚΑΛΥΜΑ ΑΚΡΥΛΙΚΟ EXTRA 270 e.	2.560
		
<b>ARM BASE</b>	ΒΑΣΗ ΒΡΑΧΙΟΝΩΝ ΑΛΟΥΜΙΝΙΟΥ ΜΕ ΡΥΘΜΙΣΗ VTA	+ 82,50
<b>CLAMP</b>	CLAMP GOLDENOTE ΑΛΟΥΜΙΝΙΟΥ – ΓΙΑ ΟΛΑ ΤΑ ΠΙΚΑΠ	75,00
<b>CLAMP-STROBO</b>	CLAMP ΑΛΟΥΜΙΝΙΟΥ ΜΕ ΣΤΡΟΒΟΣΚΟΠΙΟ & ΑΛΦΑΔΙ	97,00
		
<b>ΚΑΠΑΚΙ ΜΟΤΕΡ</b>	ΚΑΠΑΚΙ ΜΟΤΕΡ GOLD	105
		
<b>U-2 new</b>	ΒΡΑΧΙΟΝΑΣ U-2 UNIPIVOT 9`` NEW –Aluminium alloy.	650
<b>U-3 9``</b>	ΒΡΑΧΙΟΝΑΣ U-3 9`` UNIPIVOT PIVOT 100% TITANIUM	870
		
<b>U-3 .12 new</b>	ΒΡΑΧΙΟΝΑΣ U-3 12`` UNIPIVOT NEW PIVOT 100% TITANIUM	1.290
<b>U-3</b>	ΒΡΑΧΙΟΝΑΣ UNI-PIVOT ΑΛΟΥΜΙΝΙΟΥ ΜΗΚΟΣ ΚΑΙ ΒΑΣΗ STANDARD 8``. ΔΕΧΕΤΑΙ LIFT ΒΡΑΧΙΟΝΑ EXTRA ΥΔΡΑΥΛΙΚΟ +180 € ΜΗΧΑΝΙΚΟ + 100 €	780
		
<b>U- 3 Signature mkII</b>	ΒΡΑΧΙΟΝΑΣ UNI-PIVOT ΑΛΟΥΜΙΝΙΟΥ ΡΥΘΜΙΣΗ VTA –ΥΔΡΑΥΛΙΚΟ LIFT & ANTISCATING ΕΚΚΕΝΤΡΟ ANTIBAPO . .	890
		
<b>B - 7 Ceramic ball bearing 9``</b>	Tone-Arm – custom made Ceramic Ball Bearing by GRW - Titanium & Aluminium Arm Wand - adjustable VTA - 223mm Effective Length – 10g Effective Mass	1.550

<b>B – 5 mkIII 9"</b>	<b>ΒΡΑΧΙΟΝΑΣ ΑΛΟΥΜΙΝΙΟΥ ΜΕ BEARINGS          ΠΥΘΜΙΣΗ VTA - ΧΕΙΡΟΚΙΝΗΤΟ LIFT          ΕΚΚΕΝΤΡΟ ΑΝΤΙΒΑΡΟ</b> 	<b>790</b>
<b>B-5 TITANIUM          9"</b>	<b>ΒΡΑΧΙΟΝΑΣ ΑΠΟ ΣΤΕΛΕΧΟΣ ΤΙΤΑΝΙΟΥ          ΠΥΘΜΙΣΗ VTA -ΥΑΡΥΑΙΙΚΟ LIFT &amp; ANTISCATING          ΕΚΚΕΝΤΡΟ ΑΝΤΙΒΑΡΟ</b> 	<b>1.340</b>
<b>B-5.1          Ball bearing 9"</b>	<b>Tone-Arm 9" - custom made Ball Bearing by GRW - Aluminium Arm Wand - adjustable VTA -          223mm Effective Length – 10g Effective Mass. The B-5.1 effective length of 223mm with 12mm          overhang let the arm easily installed in any turntable available on the market .</b> 	<b>830</b>
<b>B-7          CERAMIC</b>	<b>B-7 CERAMIC features four high precision custom made for Gold Note by GRW-Germany micro          ceramic ball bearings designed to enable extraordinary low noise quality allows the smoothest          fine musical details</b> <p><i>The azimuth is adjustable through a pair of 2mm micro bolt in order to set up the shell perfectly          aligned . The B-7 CERAMIC effective length of 223mm with 12mm overhang let the arm easily          installed in any turntable available on the market</i></p> 	<b>1.590 e</b>
<b>ΚΑΛΩΔΙΟ DIN</b>	<b>ΚΑΛΩΔΙΟ BORGHESE DIN →RCA ARM CABLE</b>	<b>135</b>
<b>ΚΑΛΩΔΙΟ RCA</b>	<b>ΚΑΛΩΔΙΟ BORGHESE RCA →RCA INTERCONNECT</b>	<b>135</b>

## DONATELLO



*Inspired by a challenge, empowered by technology*

*The idea behind the new Donatello MC cartridge was to engineer the best sounding cartridge with solid machined aluminium body, light enough to be handled by every tone-arms. The results exceeded expectations*

*After two years of continuous research, here is Donatello: a sophisticated, computer designed body made of machined aluminium. Weighing only 7gram, it's perfectly damped and firmly blocked to help the cantilever achieve the best tracking*

*Donatello's ultra rigid cantilever handles a high precision Micro Elliptical diamond exclusively developed in collaboration with Adamant-Namiki and designed for top audio performance*

*As our flagship cartridges, Donatello's diamond tip is mechanically inserted and blocked into a long, stiffened aluminium cantilever, handled in a special titanium telescopic pipe to increase structural rigidity*

*There's more: like our top models, Donatello features long gold-plated pin connectors designed to connect perfectly with arm cinches, reducing energy dispersion and improving grounding for an ideal music background that will let you enjoy even the smaller details in your music*

*Donatello Series feature high internal impedance levels, so that they can be easily matched with any active phono preamp MM and even correctly set-up MC ones, without the need of any Step-Up transformer .*

### **DONATELLO RED**

MC High Output Phono Cartridge 1,7 mV



*Frequency response: 10-35000Hz*

*Impedance: 140Ω*

*Suggested load: 47KΩ*

*Compliance: 12×10-6cm/dyne*

*Channel separation: > 24dB*

*Channel balance: < 1dB*

*Suggested tracking weight: 1.8 to 2.1g*

*Cantilever: Aluminum*

*Diamond: Micro Elliptical*








*Coil Wire: Copper*

*Magnet: Samarium-Cobalt*

*Mounting hole diamond distance: 9mm*

*Solid block machined Duraluminium alloy*




630

<p><b>DONATELLO GOLD</b></p>	<p>MC low Output Phono Cartridge 0,5 mV  Frequency response: 10-40000Hz  Impedance: 40Ω  Suggested load: 470Ω  Compliance: 12x10-6cm/dyne  Channel separation: &gt; 25dB  Channel balance: &lt; 1db  Suggested tracking weight: 1.8 to 2.1g  Cantilever: Aluminum  Diamond: Micro Elliptical  Coil Wire: Copper  Magnet: Samarium-Cobalt  Mounting hole diamond distance: 9mm  Solid block machined Duraluminium alloy</p> 	<p>950</p>
<p><b>ΚΕΦΑΛΕΣ GRADO</b></p>	<p>GRADO GREEN 5 mV</p>  <p>GRADO BLUE 5 mV</p> <p>GRADO RED 5 mV</p>	<p>90 110 130</p>
<p><b>BABELE MM</b></p>	<p>MM phono cartridge - 3mV - Mass 6g - Tracking Weight 1.5 - 2.0g- 470ohm - 20-20.000 Hz - Elliptical Tip</p> 	<p>110</p>
<p><b>BABELE MC</b></p>	<p>ΚΕΦΑΛΗ BABELE HIGH MC 2 mV - DELRIN ΚΕΛΥΦΟΣ</p>	<p>590</p>
<p><b>BOBOLINO DIM</b></p>	 <p>DIM phono cartridge - 3mV - Mass 7,5g - Tracking Weight 1.5 - 1.8g - 600ohm - 20-20.000 Hz - Compliance 15x10-6cm/dyne - Elliptical Tip</p>	<p>450</p>
<p><b>VASARI RED</b></p>	<p>ΚΕΦΑΛΗ MM 4mV - ALNICO magnet - weight 7gr. - Tracking weight 2gr. - 47Kohm - 20-40.000 Hz - Compliance 10 Cu</p> 	<p>210</p>
<p><b>VASARI GOLD</b></p>	<p>ΚΕΦΑΛΗ MM 4mV - ALNICO magnet - weight 9,5gr. - Tracking weight 2gr. - 47Kohm - 20-40.000 Hz - Compliance 10 Cu</p> 	<p>370</p>
<p><b>BOBOLI mkII</b></p>	<p>ΚΕΦΑΛΗ MC HIGH 2mV - weight 12gr. - Tracking weight 1,2gr. - 47Kohm - 20-40.000 Hz - Compliance 8Cu  ΞΥΛΙΝΗ ΣΥΣΚΕΥΑΣΙΑ</p> 	<p>890</p>

<b>MACHIAVELLI RED</b>	<b>MC High-Output phono cartridge – 2mV - Mass 10g - Tracking Weight 1.8 – 2.1g - 120ohm - 10-40.000 Hz - 10x10-6cm/dyne – Elliptical Tip</b>	<b>1.460</b>
<b>MACHIAVELLI GOLD</b>	<b>MC High-Output phono cartridge – 1,2mV - Mass 10g - Tracking Weight 1.8 – 2.1g - 70ohm - 10-45.000 Hz - 10x10-6cm/dyne - Boron stylus Line Contact Diamond Tip</b>	<b>2.690</b>
<b>TUSCANY RED  MC</b>	 <p><b>MC phono cartridge - 0,35mV- Mass 11g - Tracking Weight 1.8 – 2.1g - 20ohm - 10-50.000 Hz. - Compliance 10x10-6cm/d - Boron stylus Micro Ridge Diamond Tip</b></p>	<b>4.750</b>
<b>TUSCANY GOLD  MC</b>	 <p><b>MC phono cartridge - 0,25mV- Mass 11g - Tracking Weight 1.8 – 2.1g - 4 ohm – silver coils - 5-55.000 Hz. – magnet samarium-cobalt - Compliance 10x10-6cm/d - Boron cantilever - Super Micro Ridge Diamond Tip- channer separation &gt; 35 db</b></p>	<b>7.250</b>
<b>DSA -150</b>	<p><b>DUAL-MONO ΟΛΟΚΛΗΡΩΜΕΝΟΣ ΕΝΙΣΧΥΤΗΣ 2 X 150W RMS 8 Ω DIGITAL BALANCED - PRE OUT / AMPL IN ACTIVE VOLUME CONTROL PREAMP STAGE</b></p>  <p><b>E-CORE POWER SUPPLY - ΤΗΛΕΚΟΝΤΡΟΛΗ</b></p>	<b>4.250</b>
<b>DEMIDOFF STANDARD</b>	<p><b>ΕΝΙΣΧΥΤΗΣ 2 X 50 watt RMS 8 Ω 4 ΜΕΤΑΣΧΗΜΑΤΙΣΤΕΣ ΤΡΟΦΟΔΟΣΙΑΣ VuMeter ΜΕ ΞΕΧΩΡΙΣΤΗ ΤΡΟΦΟΔΟΣΙΑ 5 ΕΙΣΟΔΟΙ – ΤΗΛΕΚΟΝΤΡΟΛΗ – ΔΙΑΚΡΙΤΑ ΕΞΑΡΤΗΜΑΤΑ ΕΠΙΛΕΓΜΕΝΑ. 48X48X27 -</b></p>  <p><b>ΤΗΛΕΚΟΝΤΡΟΛΗ</b></p>	<b>4.200</b>
<b>DEMIDOFF SIGNATURE</b>	<p><b>ΕΝΙΣΧΥΤΗΣ 2 X 50 watt RMS / 8 Ω 8 ΜΕΤΑΣΧΗΜΑΤΙΣΤΕΣ ΚΑΙ ΤΣΟΚ ΤΡΟΦΟΔΟΣΙΑΣ VuMeter ΜΕ ΞΕΧΩΡΙΣΤΗ ΤΡΟΦΟΔΟΣΙΑ -5 ΕΙΣΟΔΟΙ – ΤΗΛΕΚΟΝΤΡΟΛΗ – ΔΙΑΚΡΙΤΑ ΕΞΑΡΤΗΜΑΤΑ ΕΠΙΛΕΓΜΕΝΑ</b></p>  <p><b>48X48X27 ΤΗΛΕΚΟΝΤΡΟΛΗ</b></p>	<b>5.300</b>
<b>PHONO-1 MKII</b>	<p><b>PHONO MM – MC - .METAL CASE</b></p> 	<b>660</b>



<b>PHONO 2 MKII</b>	<b>PHONO MM – MC - . ΜΕΤΑΛΛΙΚΟ ΚΟΥΤΙ</b> 	<b>1.070</b>
<b>ΤΗΛΕΚ/ΡΟΛ</b>	<b>ΤΗΛΕΚΟΝΤΡΟΛ ΓΙΑ ΟΛΟΥΣ ΤΟΥΣ ΕΝΙΣΧΥΤΕΣ</b>  <b>ΔΕΚΤΗΣ &amp; ΠΟΜΠΟΣ</b>	<b>+ 210</b>
<b>STEROID 1 mkII</b>	<b>Dual-Mono ΟΛΟΚΛΗΡΩΜΕΝΟΣ ΕΝΙΣΧΥΤΗΣ 2 X 25 W RMS.</b> <b>4 ΕΙΣΟΔΟΙ – ΧΕΙΡΟΠΟΙΗΤΗ ΤΡΟΦΟΔΟΣΙΑ ΚΑΙ ΕΙΣΟΔΟΙ ΜΕ ΠΛΑΚΕ ΧΑΛΚΟ ΟFC</b> <b>.ΑΚΡΥΛΙΚΗ ΠΡΟΣΟΨΗ ΓΥΑΛΙΣΜΕΝΗ .</b>  <b>-&gt; ΑΣΗΜΙ ΠΡΟΣΟΨΗ</b>	<b>1.480</b>
<b>STEROID 1 Signature mkII</b>	<b>Dual-Mono ΟΛΟΚΛΗΡΩΜΕΝΟΣ ΕΝΙΣΧΥΤΗΣ 2 X 35 W RMS.</b> <b>4 ΕΙΣΟΔΟΙ – ΧΕΙΡΟΠΟΙΗΤΗ ΤΡΟΦΟΔΟΣΙΑ ΚΑΙ ΕΙΣΟΔΟΙ ΜΕ ΠΛΑΚΕ ΧΑΛΚΟ ΟFC</b> <b>.ΑΚΡΥΛΙΚΗ ΠΡΟΣΟΨΗ ΓΥΑΛΙΣΜΕΝΗ.</b>  <b>ΤΗΛΕΚΟΝΤΡΟΛ</b>	<b>1.950</b>
<b>SOUNDMASTER Limited Edition</b>	<b>Dual-Mono ΟΛΟΚΛΗΡΩΜΕΝΟΣ ΕΝΙΣΧΥΤΗΣ 2 X 50 W RMS.</b> <b>4 ΕΙΣΟΔΟΙ – ΧΕΙΡΟΠΟΙΗΤΗ ΤΡΟΦΟΔΟΣΙΑ ΚΑΙ ΕΙΣΟΔΟΙ ΜΕ ΠΛΑΚΕ ΧΑΛΚΟ ΟFC</b>  <b>.ΠΡΟΣΟΨΗ ΑΛΟΥΜΙΝΟΥ – ΜΕΤΑΣΧΗΜΑΤΙΣΤΕΣ ΤΟΡΟΙΔΕΙΣ .</b>	<b>1.680</b>
<b>S-1 signature</b>	<b>Dual-Mono ΟΛΟΚΛΗΡΩΜΕΝΟΣ ΕΝΙΣΧΥΤΗΣ 2 X 60W RMS. ΤΗΛΕΚΟΝΤΡΟΛ</b>  <b>PHONO mm-mc optional + 170 e</b>	<b>2.050</b>
<b>S-3 Signature</b>	<b>Dual-Mono ΟΛΟΚΛΗΡΩΜΕΝΟΣ ΕΝΙΣΧΥΤΗΣ 2 X 100W RMS. ΤΗΛΕΚΟΝΤΡΟΛ –</b>  <b>PHONO mm-mc optional + 170 e</b>	<b>2.550</b>
<b>IC PHONO S-AMPLIFIER</b>	<b>4 TEM IC DIP-8 OPA-27GP BURR-BROWN</b> <b>OP-37 G ANALOG DEVICES</b> <b>AD-797 ANALOG DEVICES</b>	<b>150</b>
<b>A-6 XL</b>	 <b>90dB - 6ohm - 3way tower 105cm tall, 19cm large, 28,5cm deep – 1” dome Tweeter - 2x5” Mid-Woofer - 6” symmetrical subwoofer - 35Hz-20kHz – Tuning recessed aluminium side panels – Bi-wiring Gold Note binding posts</b>	<b>4.400</b>

<p>A-6 SLE <b>LEATHER</b></p>	<p>HXEIO A6 SLE 89 db / 6 Ω NEW ΚΟΛΩΝΑ - <b>NATURAL LEATHER GREY SHAGR</b> 2 MID-WOOFER XAPTINA – TWEETER SILK DOME</p>  <p>2 ½ ΔΡΟΜΩΝ 100x19x19 cm</p>	<p>3.770</p>
<p>A – 3 XO</p>	<p>REFERENCE MINI MONITOR / LS3/5A TYPE <b>ΙΤΑΛΙΚΗ ΚΑΡΥΔΙΑ</b> - 87 db/w/m – 8 ohm – Tweeter 28mm soft dome – Woofers 130mm treated paper – 50Hz/20000Hz +/- 1,5dB – Διαστάσεις (19x19x30 cm LxDxH)</p>  <p>12 κιλά ΑΚΟΥΣΤΙΚΗΣ ΑΝΑΠΤΗΣΗΣ &amp; BASS REFLEX</p>	<p>1.590</p>
<p>A-3 XO SPECIAL FINISH</p>	<p>REFERENCE MINI MONITOR / LS3/5A TYPE HXEIO MAPLE (ξανθο) WITH MANY STRIPES <b>DARK MAHOGANY</b> HIGH GLOSS</p>  <p>WALNUT ITALIAN SEMIGLOSS</p> <p>Διαστάσεις (19x19x30 cm LxDxH) 12 κιλά ΑΚΟΥΣΤΙΚΗΣ ΑΝΑΠΤΗΣΗΣ &amp; BASS REFLEX</p>	<p>1.680</p>
<p>SPEAKER STAND</p>	<p>Stand – 75cm height Lacquered – 19x21cm speaker board – Special “X” bass extender design - adjustable aluminum spikes</p>	<p>1.250</p>
<p><b>GALILEO</b></p>	<p>Lacquered Rack shelf – 45mm Rack triple layer coupled Lacquered black or white shelf completed with Hourglass machined aluminium and bronze insert feet</p> <p>Main Shelf Short Feet Shelf Long Feet Shelf</p>	<p>880 880 880</p>
<p>GALILEO Deluxe</p>	<p>Massive Wood Rack shelf – 45mm Rack triple coupled Massive Italian Walnut and S/Steel layer shelf completed with Hourglass machined aluminium and bronze insert feet</p> <p>Main Shelf Short Feet Shelf Long Feet Shelf</p>	<p>1.480 1.480 1.480</p>



**STIBBERT II** CD 24 bit / 96 KHZ PLAYER με ΑΝΑΡΤΗΣΗ !  
 ΛΑΜΠΑΤΟ ΣΤΑΔΙΟ ΕΞΟΔΟΥ- FULL BALANCED  
 CLASS A` - INVERT PHASE

**VALORE 425 PLUS**












**ACRYLIC**






**BLACK MDF**

**ΑΞΕΣΟΥΡΑ**

<p><b>ARNO-6</b></p>	<p><i>ΠΟΛΥΜΠΡΙΖΟ 6 ΣΟΥΚΟ- COPPER solid core Wire                  GOLDNOTE QUANTUM FILTER &amp; EMI-RFI                  3 DIGITAL ΣΟΥΚΟ 10 A – 6 A – 3 A                  3 ANALOG SCHUKO 10 A – 6 A – 3 A</i></p>  <p style="text-align: center;"><i>Black</i></p>	<p>435</p>
<p><b>ARNO-6 PLUS</b></p>	<p><i>ΠΟΛΥΜΠΡΙΖΟ 6 ΣΟΥΚΟ COPPER solid core Wire                  Με επένδυση μαυροῦ δερματός – κοκκινῶν δερματός                  GOLDNOTE QUANTUM FILTER &amp; EMI-RFI                  3 DIGITAL ΣΟΥΚΟ 10 A – 6 A – 3 A                  3 ANALOG SCHUKO 10 A – 6 A – 3 A Black – red</i></p> 	<p>790</p>
<p><b>ARNO EXTRA</b></p>	<p><i>AC Power distributor - 6 Schuko plug distributor                  Solid Core Hybrid Design Silver &amp; Copper                  Analogue a digital plugs separated and singularly shielded                  2 IEC εισόδου</i></p> 	<p>1.450</p>
<p><b>MIDAS                  Tube dampers                  standard</b></p>	<p><i>Αποσβεστικό και ψυκτικά λυχνιών , κατασκευασμένο από κράμα αλουμινίου/μπροντζό/και ξύλο Ebony. Σετ 2 τεμ. Ενδεικνύεται σε μικρές λυχνίες όπου αποσβάνει όλους τους κραδασμούς από το γυαλί και εξασφαλίζει μεγαλύτερη ζωή με την απαγωγή της θερμότητας</i></p>	<p>180</p>

		
<b>MIDAS EBONY</b> <i>tube dampers</i>	<p>λογω των ελατηριων.</p> <p>Αποσβεστικο και ψυκτρα λυχνιων , κατασκευασμενο απο κραμα αλουμινιου/μπροντζο/και ξυλο Ebony. <b>Σετ 2 τεμ.</b> Ενδεικνυται σε μικρες λυχνιες οπου αποσβαινει ολους τους κραδασμους απο το γυαλι και εξασφαλιζει μεγαλυτερη ζωη με την απαγωγη της θερμοτητας</p>  <p>λογω των ελατηριων.</p>	195
<b>DIOSPYROS I</b>	<p>ΑΝΤΙΚΡΑΔΑΜΙΚΟΙ ΚΩΝΟΙ ΑΠΟ PLEXIGLASS ΜΠΡΟΥΤΖΟ / ΑΤΣΑΛΙ ΜΕ</p>  <p><b>ΕΣΩΤΕΡΙΚΟ ΛΑΒΥΡΙΝΘΟ ΣΕΤ 3 ΤΕΜ.</b></p>	240
<b>ΚΥΜΥΑΣ</b> <b>GALAKTOS</b>	<p>Vinyl Treatment - Restoring scratched L.P. KIT based on a double treatment</p>  <p><b>ΒΕΛΤΙΩΤΙΚΟ ΥΓΡΟ ΠΟΙΟΤΗΤΑΣ ΔΙΣΚΩΝ CD . αντιοξειδωτικο.</b></p>	60
<b>ROOM TUNE</b> <b>PILLOWS</b>	<p>10 τεμ. ΗΧΟΑΠΟΡΡΟΦΗΤΙΚΑ ΔΩΜΑΤΙΟΥ ΑΚΡΟΑΣΗΣ. 4 ΤΕΜ 20x120, 4 CORNER 40x40x40, 2 ECHO 25x40 ΜΑΞΙΛΑΡΙΑ . ΠΡΟΣΦΕΡΕΙ ΜΕΙΩΣΗ ΤΟΥ ΧΡΟΝΟΥ ΑΝΤΗΧΗΣΗΣ ΚΑΙ ΚΑΘΑΡΙΖΕΙ ΤΗΝ ΕΙΚΟΝΑ .</p> 	440
<b>ΠΛΑΥΝΗΡΙΟ CD – DVD + 1 LIT ΥΓΡΟ</b> <b>ΑΝΤΑΛΛΑΚΤΙΚΟ ΥΓΡΟ 1 ΛΙΤ</b>		120,00 24,50
<b>ΖΥΓΑΡΙΑ ΗΛΕΚΤΡΟΝΙΚΗ ΚΕΦΑΛΩΝ ΑΚΡΙΒΕΙΑΣ – ΚΟΥΜΠΙΑ ΕΠΑΦΗΣ</b>		68,40
<b>ΖΥΓΑΡΙΑ ΚΕΦΑΛΩΝ ΠΙΚΑΠ SHURE</b>		29,50
<b>ΥΓΡΟ ΚΑΘΑΡΙΣΜΟΥ ΔΙΣΚΩΝ 80mL ΣΠΡΕΥ ΑΝΤΙΣΤΑΤΙΚΟ</b>		9,90
<b>ΕΞΩΦΥΛΛΑ ΔΙΣΚΩΝ ΝΑΥΛΟΝ ΣΕΤ 50 ΤΕΜ</b>		16,60
<b>ΕΞΩΦΥΛΛΑ ΔΙΣΚΩΝ ΑΝΤΙΣΤΑΤΙΚΑ ΑΣΠΡΑ ΣΕΤ 50 ΤΕΜ</b>		16,90
<b>TRANSISTOR TIP-142 / TIP-147</b>	<b>5 ΖΕΥΓΗ matched pairs</b>	22,00
<b>CD MAT CARBON FIBER</b>	<b>ΒΕΛΤΙΩΣΗ CD /DVD/BLUERAY</b>	 <b>I</b>
<b>ΡΑΟΥΛΟ 33/45/78 RPM GOLDENOTE</b>	<b>–ρυθμιζομενη διαμετρος &amp; ταχυτητα .</b>	67,50

<p>VTA LIFTER for REGA ARMS – BRASS – double piece</p>	<p>55,00</p>
<p>ΔΙΣΚΟΣ LP <b>ALSO SPRACH ZARATUSTR</b> <b>FRITZ REINER CHICAGO SYMPHONY ORCHESTRA</b>  45 rpm – 180 gr HQ VINYL - GOLDENOTE SUPERVISION PRODUCTION</p> 	<p>37,50</p>
<p>ΔΙΣΚΟΣ LP <b>OUT OF THE COOL</b> – <b>THE GIL EVANS ORCHESTRA</b>  45 rpm 180 gr HQ VINYL - GOLDENOTE PRODUCTION</p> 	<p>37,50</p>
<p>ΔΙΣΚΟΣ LP <b>HENRY MANCINI HATAPI</b>  45 rpm 180 gr HQ VINYL - GOLDENOTE PRODUCTION</p> 	<p>36,40</p>
<p>ΔΙΣΚΟΣ LP <b>ELISABETA SERIO (NEW JAZZ)</b>  45 rpm 180 gr HQ VINYL - GOLDENOTE PRODUCTION</p>	<p>39,80</p>
<p>ΔΙΣΚΟΣ LP <b>ALESSANDRO ZILLI Guitar Ballads – Half Speed (ORIGINAL Series)</b>  45 rpm 180 gr HQ VINYL - GOLDENOTE PRODUCTION</p>	<p>39,80</p>
<p>ΔΙΣΚΟΣ LP <b>TEST RECORD - GOLD NOTE Super Test Record</b>  - GOLDENOTE PRODUCTION</p>	<p>44,50</p>
<p>ΔΙΣΚΟΣ LP <b>BILLIE HOLIDAY – BODY &amp; SOUL</b></p>	<p>39,80</p>
<p>ΔΙΣΚΟΣ LP <b>HARRY BELAFONTE - Live at Carnegie Hall - 3 LP SET</b></p>	<p>66,50</p>
<p>ΔΙΣΚΟΣ LP DT-01 BEATLES - LONELY HEARTS</p>	<p>39,50</p>
<p>ΔΙΣΚΟΣ LP DT 02</p>	<p>39,50</p>
<p>CD <b>E.SERIO-APRIL</b></p>	<p>17,70</p>

**CD MORO QUARTET**



28,00

Αριστη ηχογράφηση αναφοράς με την συνεργασία 3 εταιριων : ( ROSSO FIORENTINO / NORTHSTAR / AUDIO GRAFFITI )



**A-3** 1<sup>ο</sup> ΣΤΟ ΤΕΣΤ ΤΟΥ HI-FI NEWS  
ΑΝΑΜΕΣΑ ΣΕ 8 ΗΧΕΙΑ !!



**B-5** TONEARM ( bearings)



**MIDAS** TUBE DUMPERS



**U3 ΒΡΑΧΙΟΝΑΣ**  
Unipivot – aluminium  
Ξεπερναι σε αποδοση βραχιονες  
πολλαπλασιας τιμης .

**MEDITERRANEO**

