

ΕΙΣΑΓΩΓΕΣ - ΑΝΤΙΠΡΟΣΩΠΕΙΕΣ ΗΧΗΤΙΚΩΝ ΣΥΣΤΗΜΑΤΩΝ.

**GRAHAM Audio- ROCKNA AUDIO –AUDIOBYTE -GOLDNOTE –BLACKNOTE - WA QUANTUM CHIPS
AUDIO MUSIC ΚΕΝΤΡΟ ΛΥΧΝΙΩΝ – NEXUS AC POWER - TRAFOMATIC – THE TUBE AMP DOCTOR - YPSILON HI FI
TUNING- HANNL- BOSENDORFER- MELODY- FURUTECH- KORATO - ROSSO FIORENTINO- EVERYTHING BUT
THE BOX- CEC- NBS CABLES - JJ Electronics – EMILLE - MUNDORF- JANTZEN -TENT LABS- MUDRA AKUSTIK- JL
SOUNDS -NEXUS MONITORS JENSEN- EMISSION LABS- LUNDAHL- DUELUND - ΧΑΙΤΑΣ ISOLATORS - HYPEX
DIGITAL - ALPS – IeGO- CARDAS - DACT- KIMBER- -ELNA- BYBEE-
HAMMOND – TRIAD- CORNELL DUBILIER.
Ρ.ΦΕΡΡΑΙΟΥ 24. Π.ΦΑΛΗΡΟ 175-63**

ΤΗΛ : 210- 9850286 / 210-9830207 xaitas1@gmail.com xaitas@acci.gr

WWW.NEXUSACOUSTICS.COM

WWW.THENEXUSACOUSTICS.BLOGSPOT.GR



[GOLDNOTE - FLORENCE Italy](http://WWW.GOLDNOTE.IT)

**Ανακαλύψτε τον κόσμο της GOLD NOTE μιας Αναλογικής εταιρίας με προϊόντα
εξαιρετικής Μουσικότητας και Τιμής. WWW.GOLDNOTE.IT**

• ΠΙΚΑΠ - ΒΡΑΧΙΟΝΕΣ - ΚΕΦΑΛΕΣ - CD - DAC - ΕΝΙΣΧΥΤΕΣ - ΗΧΕΙΑ - ΗΧΟΜΟΝΩΤΙΚΑ –ΑΞΕΣΟΥΑΡ •

DS-1000

DS-1000 DAC with integrated DSD Streamer & D/A Converter . FULL CAPABLE DSD DIGITAL PLAYER, STREAMER, NET PLAYER, SERVER and D/A CONVERTER .Performing DSD audio files from the net via LAN or WLAN (WiFi) with integrated State-of-the-Art DSD USB D/A Converter with Coax and Optical input vertically integrated.



The DS1000 is also able to play Internet web station working as player and streamer

The DS-1000 plays directly HDD and USB memories via two USB A ports avoiding the internal built in memories. Besides the DS1000 is a net player working W/LAN and LAN and also with NAS. The unit also integrates a D/A Converter playing all audio formats up to DSD 64/128. The DS-1000 optionally features an integrated preamplifier and balanced analogue input. The Gold Note proprietary SKC and TFT display allow intuitive full unit control conveniently played by a single knob. The unit also is fully controlled WiFi: 802.11b/g. Digital input: one RCA S/PDIF coaxial and one TOS-optical asynchronous 24/192

USB: asynchronous DSD 64/128 and PCM up to 24/192

High Speed 2.0 port . USB: two USB-A front ports to feed USB flash memories, HDD FAT & NTFS

Analogue input (optional): Stereo balanced XLR.TH D –

Total Harmonic Distortion: 0.001% max

Signal to noise ratio: -125dB

Dynamic response: 129dB

Output impedance: 50ohm

Phase response: linear phase, absolute phase inverted

Digital filter: proprietary Zero-Clock circuit enabling three different Master Clock

Volume control: switchable On/Off Digital partializer.

LAN/WLAN WiFi: 802.11b/g via RJ45 10/100Mbps socket

and Antenna .Infrared remote: RC5 proprietary code

Supported audio formats. AIFF (.aif, .aiff, .aifc) WAV (.wav)

packed/unpacked. FLAC WmA Windows media Audio



9WAX Windows media audio metafiles .ASX Advanced

Stream Redirector (.asx) .MPEG-4 Advanced Audio coding

File, .aac, .m4a including Apple lossless MP3

New 2017

4.750

	<p>GOLD NOTE MODULAR DESIGN</p> <p><i>Innovative unique modular design performing a variety of external units including two Class-A tube output stages, Atomic Master Clocks and High Power Supplies</i></p> <p>PREAMP AND STEREO ANALOGUE INPUT STAGE (Optional)</p> <p><i>Two options integrated preamplifier stage and balanced input to perform a full vertically integrated unit able to drive an audio system on its own.</i></p> <p><i>Upgrades</i></p> <p><i>TUBE-1012: Class-A 12 Tubes output stage with inductive tube power supply</i> <i>PSU-1250: Dual-Mono 250Watt Super External Power supply</i> <i>Preamp Stage: PGA electronically control single resistor dual-mono volume control preamp</i> <i>Analogue input: Stereo balanced XLR</i> <i>External AC filter: Gold Note Lucca AC distributor</i> <i>Other: Gold Note Lucca power chord</i></p>		
<p>CD-1000</p> <p>CD PLAYER TUBE</p>	<p><i>CD Player – Super Linear Dual-Mono power supply – fully balanced design with RCA and XLR Balanced Output – RCA coax.dig. output – D/A converter incorporated with 1x coaxial, 1 Optical & 1x USB 24/192 digital inputs. Modular line able to handle optionally external super power supply and external 12 tube output stage selectable via electronic micro control and external Clock</i></p> 		<p>3.800</p>
<p>CD-1000 optional</p>	<p><i>(opt.) PREAMP STAGE = features single resistor electronically controlled double mono volume gain</i></p> <p><i>(opt.) STEREO BALANCED ANALOGUE INPUT = XLR stereo analogue input</i></p> 	<p><i>with PREAMP</i></p> <p><i>with ANALOG IN</i></p>	<p>+ 950</p> <p>+ 950</p>

P-1000

I IPOENISXYTHS BALANCED Line Level- Remote control

5.900




Upgrades :

TUBE-1012: Class-A 12 Tubes output stage with inductive tube power supply

PSU-1250: Dual-Mono 250Watt Super External Power supply

External AC filter: Gold Note Lucca AC distributor

Other: Gold Note Lucca power chord



PA-1175

Stereo Power Amplifier –2 x 175 Watt / 8 Ω .Full balanced selectable RCA or XLR output – Bridged Mono Amplifier for 350 Watt /8 Ω . Adjustable Damping Factor 25-250.

4.770



BELLAGIO

Reference

Turntable – High mass Turntable made of triple isolated thick polished black acrylic plinth – Super high mass weighted double Platter – 12V PWM Gold Note design power supply



9.350

BELLAGIO

**CONQUEST
BLACK KING
Limited Edition**




*ΠΛΑΤΩ ΜΕ
POWER SUPPLY*














Turntable – High mass Turntable made of great floor standing structure with 270mm long platter spindle with rocker arm and oil treated reinforced ceramic bearing & fully adjustable Special high torque 12V PWM Gold Note design power supply. Remote control. Two tone arms included



















47.900

<p>MEDITERRANEO</p>	<p><i>Turntable - Belt driven Turntable made of triple isolated 15mm black acrylic plinth, 3mm Titanium plinth and 50mm machined curved Olive Tree natural or black painted solid wood enables the best rigidity and frequency control – Black Vinyl extra weighted Platter - 470mm Large x 360mm Deep – 12Volt electronic PSU and PWM Speed Control – included B-5 Tonearm and and Sychronus moter .</i></p> <p>B-7 CERAMIC TONEARM + 770 e</p> 	<p><i>Με βαση απο Ιταλικη καρυδια.</i></p> <p><i>Μαυρη Λακα</i></p>	<p>5.770</p> <p>4.860</p>
<p>GIGLIO</p>	<p><i>Turntable - Belt driven Turntable made of double isolated 20mm black acrylic plinth, 3mm Aluminium plinth and 50mm machined curved natural Walnut for high rigidity and frequency control – Vinyl Platter - 425mm Large x 360mm Deep – 12 Volt electronic PSU and PWM Speed Control – included B5.1 ARM and Sychronus Moter.</i></p> 	<p><i>Με βαση απο Ιταλικη καρυδια.</i></p> <p>BLACK LACQUER</p>	<p>3.880</p> <p>3.560</p>
<p>Fiorino TSC Turntable Speed Control</p>	<p><i>Turntable Speed Control – The Fiorino TSC allows any Gold Note turntable ever made be controlled by a 12V synchronous motor with 33/45 adjustable speed control. The Kit contents Motor and PSU.</i></p>  <p>L</p>	<p><i>Μετατρεπει ολα τα προηγουμενα μοντελλα και προσφερει σημαντικη βελτιωση.</i></p>	<p>450</p>













FIORINO USB	 <p>USB D/D Converter – USB to S/Pdif coaxial output converter - 24/192 res. asynchronous USB High Speed port - Plays all kind of audio up to 192kHz – Self-Powered</p>	 	280
FAVARD ANNIVERSARY CD PLAYER TUBE	 <p>CD Player - Battery Inductive Multiple Power supply with tube - XLR Balanced Output – RCA coax.dig. output – 12 Tubes – 10 transformers 4 of which inductors – Double 6A batteries</p>		13.300
FAVARD optional	(optional) DAC = 4 RCA Coaxial digital input – 1 USB and 24/192 port asynchronous (optional) ATOMIC MASTER CLOCK = Ultra precise – sealed – battery powered – temperature controlled oscillator	USB DAC with ATOMIC	2.800 7.500
STIBBERT TUBE	CD PLAYER 24 bit –192 KHZ ME ΛΥΧΝΙΕΣ E88CC ΣΤΗΝ ΕΞΟΔΟ → ΜΕΤΑΛΛΙΚΟ ΘΛΑΕΚΟΝΤΡΟΑ + 70 E		3.670
STIBBERT BLACK PEARL III	CD PLAYER 24 bit –192 KHZ ME ΛΥΧΝΙΕΣ E88CC ΣΤΗΝ ΕΞΟΔΟ / TRUE BALANCED TUBE OUTPUT STAGE/ DUMBO AC ISOLATOR Stream Unlimited mechanism  JPL2580 / alluminium drawer		4.650 + 480
KOALA MINI GOLD NOTE	CD PLAYER 24-192 KHZ – SOLID STATE OUTPUT		1.160
STIBBERT -SOLID STATE	CD PLAYER 24 bit –192 KHZ True balanced outputs . Stream Unlimited mechanism JPL2580 / alluminium drawer		3.580
KOALA CD TUBE GOLD NOTE	CD PLAYER 24-192 KHZ ΣΤΑΙΙΟ ΕΞΟΔΟΥ ΜΕ ΛΥΧΝΙΕΣ - TRUE BALANCED OUTPUT		1.780


KOALA S/S ANNIVERSARY	<p>- Koala Solid State Anniversary- D/A converter featuring SPDIF digital input. Stream Unlimited mechanism JPL2580 / plastic drawer</p>  <p>New aluminium luxury remote control</p>		<p>1.890</p>
KOALA CD TUBE GOLD NOTE	<p>CD PLAYER 24-192 KHZ - TUBE OUTPUT SINGLE-ENDED ΜΗΧΑΝΙΣΜΟΣ PHILIPS GYR-FALCON NEW ALUMINIUM TRUE BALANCED OUTPUT – ZERO CLOCK – 2,5 V OUTPUT /800Ω - NEW DISPLAY -</p>		<p>1.990</p>
KOALA / STIBBERT MECHANISM	<p>KOALA / STIBBERT GEN-2 ΜΗΧΑΝΙΣΜΟΣ</p> 		<p>98,50</p>
DAC-7 USB MICRO LINE	<p>DAC-7 USB DAC ASYNCHRONUS 24/192 KHZ TRUE RESOLUTION XLR-RCA εξόδοι. BLACK - SILVER</p> 	<p>20 x 8 x 30 cm</p> 	<p>790</p>
FIRENZE USB SILVER CABLE	<p>US CABLE (A-B) Soild core pure SILVER cable True balanced & isolated design - (sealed OIL design) 1m 1,5 m</p>		<p>595 790</p>
FIRENZE USB COPPER CABLE	<p>USB CABLE (A-B) Soild core pure COPPER cable True balanced & isolated design 1m 1,5 m</p>		<p>250 345</p>
HPREAMP -7 MICRO LINE	<p>HP-7 ΠΡΟΕΝΙΣΧΥΤΗΣ & ΕΝΙΣΧΥΤΗΣ ΑΚΟΥΣΤΙΚΩΝ ΤΗΛΕΚΟΝΤΡΟΛΑ - ΕΙΣΟΔΟΙ: 1pr RCA & 1pr XLR ΕΞΟΔΟΙ: 1pr RCA & 1pr XLR – LINE OUT: 1pair RCA & 1pair XLR - Internal Hybrid Power Supply - External Power Supply (Optional) . BLACK - SILVER</p>  <p>TRUE BALANCED</p>	<p>20 x 8 x 30 cm</p> 	<p>820</p>
CD-7 MICROLINE	<p>CD PLAYER ΕΞΟΔΟΙ: 1pr RCA & 1pr XLR true balanced Internal Hybrid Power Supply - External Power Supply (Optional) . BLACK - SILVER</p>  <p>Mechanism spare I</p>	<p>20 x 8 x 30 cm</p> 	<p>860</p>

<p>PH-1 new</p>	<p>PHONO MM & MC Phono Preamp – MM & MC – single RCA Input - RCA Output – High Gain 68dB MC and 48dB MM</p> 	<p>10 Π x 10,5 Υ x 26 Β 3,5 kgr</p>	<p>670</p>
<p>PH-10 New model 2016</p>	<p>PHONO PH-10 MM & MC – two separate RCA Inputs για 2 Πικαπ - RCA and XLR balanced Output – selectable variable load χ 9 με micro switches – High Gain 68dB MC and 48dB MM 3 equalization curves : RIIA / DECCA LONDON / AMERICAN COLUMBIA USB software update – Οθονη TFT λειτουργιών και απεικονισης ρυθμισεων – Ρυθμισεις απο ενα περιστρεφομενο κομμι με software. Δεχεται προσθετα : εξωτερικο Λαμπατο σταδιο εξοδου class A` - εξωτερικο Τροφοδοτικο με choke DC.</p> 		<p>1.360</p>
<p>PSU-1 for PHONO</p>	<p>Power Supply Unit - Super External PSU to be matched to PH1 and PH2 phono preamplifier</p>		<p>690</p>
<p>PH-7 MKII MICRO LINE</p>	<p>PHONO PH-7 MM & MC BLACK - SILVER</p> 	<p>20 χ 8 χ 30 cm</p> 	<p>850</p>
<p></p>	<p>ΠΡΟΣΟΨΗ SILVER για PHONO 7 MK II</p>		<p>95</p>
<p>AP-7 MICRO LINE</p>	<p>ΕΝΙΣΧΥΤΗΣ ΟΛΟΚΛΗΡΩΜΕΝΟΣ 2 X 30 W ΤΗΛΕΚΟΝΤΡΟΛΑ 3 RCA input – 2 XLR input -. 1 RCA Pre-Out) BLACK - SILVER</p> 	<p>20 χ 8 χ 30 cm</p> 	<p>980</p>
<p>PSU-7 POWER SUPPLY</p>	<p>ΕΞΩΤΕΡΙΚΟ ΤΡΟΦΟΔΟΤΙΚΟ ΠΟΥ ΣΥΝΔΥΑΖΕΤΑΙ ΜΕ DAC-7 / HP 7 – PHONO 7 & ΒΕΛΤΙΩΝΕΙ ΤΗΝ ΠΟΙΟΤΗΤΑ ΗΧΟΥ. BLACK – SILVER</p> 	<p>20 χ 8 χ 30 cm</p> 	<p>720</p>
<p></p>	<p>ΠΡΟΣΟΨΗ BLACK για PSU-7 ΠΡΟΣΟΨΗ SILVER για PSU-7</p>		<p>95</p>

DUMBO AC ISOLATOR	<i>DUMBO AC ISOLATOR 100 W GIA CD – PRO – ΠΙΚΑΠ .</i>		480
BLACKNOTE DSS-15	<i>DAC USB SERVER 192 KHZ – AYTONOMG ME ΘΘΟNH . THΛEKONTPOA & VOLUME- TRUE BALANCED 24-192KHZ</i>		2.250
BLACKNOTE DSS-15 TUBE	<i>DAC USB SERVER 192 KHZ – AYTONOMG ME ΘΘΟNH . THΛEKONTPOA & VOLUME- TRUE BALANCED 24-192KHZ 2 X E88CC</i>		2.450
DSF External Screen	<i>DSS SCREEN FOUR External screen to connect on the DSS via RS232 port –Glossy Black or Transparent.</i>		490
BLACK NOTE DAC-15	<i>BLACKNOTE DAC-15 – USB-2 ΤΡΙΣΔΙΑΣΤΑΤΗ ΘΘΟNH  24-192KHZ - VOLUME KAPTA REC A/D Analogue to digital converter ANALOGUE RECORDING KIT for USB DAC – Stereo input analogue set-up to install on the USB DAC units to record in a computer any analogue source @ HD 24bit resolution</i>		2.140
USB STICK MUSIC	<i>USB STICK MUSIK - SAMPLERS Blacknote® 4Gb USB sticks with included a selection of music samples 16 and 24 bit plus one full 24bit 96KHz original record of your choice about Classical, Jazz, Modern and Latin music.</i>		39,00
UPGRADE KIT KOALA	<i>Mundorf 4 Supreme caps / Mlytic– furutech iec – Nichikon Organic Polymer caps</i>		+440
STROBO VILLA	<i>ΣΤΡΟΒΟΣΚΟΠΙΚΟΣ ΔΙΣΚΟΣ 33 1/3 - 45 - 78</i>	WHITE	12,50
GEL MAT	<i>Turntable GEL mat – made of special Techno Gel self adhesive to stick the vinyl extra high damping effect</i>	Black	54,70
GEL MAT new	<i>Turntable GEL mat – made of special Techno Gel self adhesive to stick the vinyl extra high damping effect</i>	White	57,50
FELT MAT	<i>Turntable FELT mat – made of special polyester fibre with high damping effect</i>	Brown	26,50
ΚΑΠΑΚΙ ΠΙΚΑΠ	<i>NEXUS ΠΛΕΞΙΓΚΛΑΣΣ 52cm x 43 cm x 25 cm</i>		190
PROTRACTOR NEW	<i>PROTRACTOR NEW & OVERHANG + ΣΤΡΟΒΟΣΚΟΠΙΟ 50 Hz - thin rigid plastic . Για ολους τους Βραχιονες .</i>		16,60
HINGES	<i>TURNTABLE HINGES – (Μεντεσεδες για καπακι)</i>		22,80
DIN 5 PIN FEMALE	<i>ΒΥΣΜΑ 5 DIN MALE - για βραχιονα Goldnote</i>		27,50
DECK 12	<i>ΠΙΚΑΠ ΜΕ ΟΔΗΓΗΣΗ ΙΜΑΝΤΑ ΣΤΑΘΕΡΟ, ΒΑΣΗ 30mm ΞΥΛΟ - ΑΚΡΥΛΙΚΟ ΠΛΑΤΩ 20mm - BPAXIONΑΣ U-3 Unipivot .</i>		980
VALORE COMPACT	<i>ΠΙΚΑΠ ΜΕ ΟΔΗΓΗΣΗ ΙΜΑΝΤΑ ΣΤΑΘΕΡΟ ΠΛΑΤΩ ΑΚΡΥΛΙΚΟ 40 x 36 mm HDM MOTER High dampened motor & BPAXIONΑΣ B-5 sc SMOOTH WHITE</i>		1.380

VALORE LEATHER <i>Italian Job</i>	ΠΙΚΑΠ ΜΕ ΟΔΗΓΗΣΗ ΙΜΑΝΤΑ ΣΤΑΘΕΡΟ ΕΠΕΝΔΥΣΗ ΔΕΡΜΑΤΟΣ ΕΞΑΙΡΕΤΙΚΗ ΑΚΡΥΛΙΚΟ ΠΛΑΤΩ ΔΙΑΦΑΝΕΣ 20mm - ΒΡΑΧΙΟΝΑΣ B-5 SC 40 x 36 mm WHITE LEATHER		1.590
VALORE LEATHER <i>Italian Job</i>	LEATHER RED / GREEN 40 x 36 mm		1.590
VALORE PLUS- 425	Turntable - Belt driven rigid Turntable made of 30mm MDF plinth - Acrylic Platter - Supplied with 9" B-5 arm and Dust Cover - 425mm Large x 360mm Deep - 12Volt External PSU and Speed Control  	FULL ACRYLIC or Leather BLACK MAT 	1.490 1.390
VALORE- 400	Turntable - Belt driven rigid Turntable made of 30mm MDF plinth - Acrylic Platter - Supplied with 9" B-5 SC Arm and Acrylic Dust Cover . AC synchronous 24 Pole Motor 230 V - 425mm x 360mm 	WHITE	880
PICOLLO	ΠΙΚΑΠ ΜΕ ΟΔΗΓΗΣΗ ΙΜΑΝΤΑ ΣΤΑΘΕΡΟ, ΒΑΣΗ 30mm ΑΚΡΥΛΙΚΗ ΔΙΑΦΑΝΗΣ- ΑΚΡΥΛΙΚΟ ΠΛΑΤΩ ΔΙΑΦΑΝΕΣ 20mm - ΒΡΑΧΙΟΝΑΣ B-5 ΚΑΛΛΥΜΑ ΑΚΡΥΛΙΚΟ EXTRA & HINGES 260 e.		1.340
BELLAVISTA <i>new improved</i>	ΠΙΚΑΠ ΣΤΑΘΕΡΟ ΜΕ ΙΜΑΝΤΑ ΑΠΟ ΓΥΑΛΙΣΜΕΝΟ ΑΚΡΥΛΙΚΟ ΚΑΙ ΧΑΛΚΟ . ΠΗΓΑΛΙ & ΑΞΟΝΑΣ ΚΑΤΑΣΚΕΥΑΣΜΕΝΑ ΑΠΟ ΕΙΔΙΚΟ ΚΡΑΜΑ ΚΑΙ TEFLON - ΧΩΡΙΣ ΒΡΑΧΙΟΝΑ ΚΑΛΛΥΜΑ ΑΚΡΥΛΙΚΟ EXTRA 260 e. (I)	 	2.250

BELLAVISTA <i>Signature</i>	ΠΙΚΑΠ ΣΤΑΘΕΡΟ ΜΕ ΙΜΑΝΤΑ ΔΙΠΛΗΣ ΒΑΣΗΣ ΑΠΟ ΓΥΑΛΙΣΜΕΝΟ ΜΑΥΡΟ ΑΚΡΥΛΙΚΟ ΚΑΙ ΓΥΑΛΙΣΜΕΝΟ ΧΑΛΚΟ . ΠΗΓΑΔΙ & ΑΞΟΝΑΣ ΚΑΤΑΣΚΕΥΑΣΜΕΝΑ ΑΠΟ ΕΙΔΙΚΟ ΚΡΑΜΑ ΚΑΙ ΤΕΦΛΟΝ - ΧΩΡΙΣ ΒΡΑΧΙΟΝΑ ΚΑΛΛΥΜΑ ΑΚΡΥΛΙΚΟ EXTRA 270 ε.	 	2.560
BELLAGIO	ΠΙΚΑΠ ΜΕ ΑΝΑΡΤΗΣΗ ΚΑΙ ΟΔΗΓΗΣΗ ΙΜΑΝΤΑ ΑΠΟ ΓΥΑΛΙΣΜΕΝΟ ΜΑΥΡΟ & ΔΙΑΦΑΝΕΣ ΑΚΡΥΛΙΚΟ ΚΑΙ ΓΥΑΛΙΣΜΕΝΟ ΧΑΛΚΟ ΠΗΓΑΔΙ & ΑΞΟΝΑΣ ΚΑΤΑΣΚΕΥΑΣΜΕΝΑ ΑΠΟ ΕΙΔΙΚΟ ΚΡΑΜΑ ΚΑΙ ΤΕΦΛΟΝ ΚΑΛΛΥΜΑ ΑΚΡΥΛΙΚΟ EXTRA 190 ε. ΙΜΑΝΤΑΣ ΑΝΤΑΛΛΑΚΤΙΚΟΣ 40 ε.		4.840
ARM BASE	ΒΑΣΗ ΒΡΑΧΙΟΝΩΝ ΑΛΟΥΜΙΝΙΟΥ ΜΕ ΡΥΘΜΙΣΗ VTA		+ 82,50
CLAMP	CLAMP GOLDENOTE ΑΛΟΥΜΙΝΙΟΥ – ΓΙΑ ΟΛΑ ΤΑ ΠΙΚΑΠ		75,00
CLAMP-STROBO	CLAMP ΑΛΟΥΜΙΝΙΟΥ ΜΕ ΣΤΡΟΒΟΣΚΟΠΙΟ & ΑΛΦΑΔΙ		97,00
ΚΑΠΑΚΙ ΜΟΤΕΡ	ΚΑΠΑΚΙ ΜΟΤΕΡ GOLD		105
U-2 new	ΒΡΑΧΙΟΝΑΣ U-2 UNIPIVOT 9`` NEW –Aluminium alloy.		490
U-3 9``	ΒΡΑΧΙΟΝΑΣ U-3 9`` UNIPIVOT PIVOT 100% TITANIUM		790
U-3 .12 new	ΒΡΑΧΙΟΝΑΣ U-3 12`` UNIPIVOT NEW PIVOT 100% TITANIUM		1.180
U 3	ΒΡΑΧΙΟΝΑΣ UNI-PIVOT ΑΛΟΥΜΙΝΙΟΥ ΜΗΚΟΣ ΚΑΙ ΒΑΣΗ STANDARD 8``. ΔΕΧΕΤΑΙ LIFT ΒΡΑΧΙΟΝΑ EXTRA ΥΑΡΑΥΑΙΚΟ +180 € ΜΗΧΑΝΙΚΟ + 100 €		580
U 3 Signature mkII	ΒΡΑΧΙΟΝΑΣ UNI-PIVOT ΑΛΟΥΜΙΝΙΟΥ ΡΥΘΜΙΣΗ VTA –ΥΑΡΑΥΑΙΚΟ LIFT & ANTISCATING ΕΚΚΕΝΤΡΟ ANTIBAPO . .		690
B - 7 Ceramic ball bearing 9``	Tone-Arm – custom made Ceramic Ball Bearing by GRW - Titanium & Aluminium Arm Wand - adjustable VTA - 223mm Effective Length – 10g Effective Mass		1.550
B – 5 mkIII 9``	ΒΡΑΧΙΟΝΑΣ ΑΛΟΥΜΙΝΙΟΥ ΜΕ BEARINGS ΡΥΘΜΙΣΗ VTA. - ΧΕΙΡΟΚΙΝΗΤΟ LIFT ΕΚΚΕΝΤΡΟ ANTIBAPO		790
B-5 TITANIUM 9``	ΒΡΑΧΙΟΝΑΣ ΑΠΟ ΣΤΕΛΕΧΟΣ ΤΙΤΑΝΙΟΥ ΡΥΘΜΙΣΗ VTA –ΥΑΡΑΥΑΙΚΟ LIFT & ANTISCATING ΕΚΚΕΝΤΡΟ ANTIBAPO	 	1.340
B-5.1 Ball bearing 9``	Tone-Arm - custom made Ball Bearing by GRW - Aluminium Arm Wand - adjustable VTA - 223mm Effective Length – 10g Effective Mass. The B-5.1 effective length of 223mm with 12mm overhang let the arm easily installed in any turntable available on the market .		830

<p>B-7 CERAMIC</p>	<p><i>B-7 CERAMIC features four high precision custom made for Gold Note by GRW-Germany micro ceramic ball bearings designed to enable extraordinary low noise quality allows the smoothest fine musical details</i></p> <p><i>The azimuth is adjustable through a pair of 2mm micro bolt in order to set up the shell perfectly aligned . The B-7 CERAMIC effective length of 223mm with 12mm overhang let the arm easily installed in any turntable available on the market</i></p>		<p>1.590 e</p>
<p>KΑΑΩΔΙΟ DIN</p>	<p>KΑΑΩΔΙΟ BORGHESE DIN → RCA ARM CABLE</p>		<p>135</p>
<p>KΑΑΩΔΙΟ RCA</p>	<p>KΑΑΩΔΙΟ BORGHESE RCA → RCA INTERCONNECT</p>		<p>135</p>

DONATELLO



Inspired by a challenge, empowered by technology

The idea behind the new Donatello MC cartridge was to engineer the best sounding cartridge with solid machined aluminium body, light enough to be handled by every tone-arms. The results exceeded expectations


After two years of continuous research, here is Donatello: a sophisticated, computer designed body made of machined aluminium. Weighing only 7gram, it's perfectly damped and firmly blocked to help the cantilever achieve the best tracking











Donatello's ultra rigid cantilever handles a high precision Micro Elliptical diamond exclusively developed in collaboration with Adamant-Namiki and designed for top audio performance













As our flagship cartridges, Donatello's diamond tip is mechanically inserted and blocked into a long, stiffened aluminium cantilever, handled in a special titanium telescopic pipe to increase structural rigidity

There's more: like our top models, Donatello features long gold-plated pin connectors designed to connect perfectly with arm cinches, reducing energy dispersion and improving grounding for an ideal music background that will let you enjoy even the smaller details in your music


Donatello Series feature high internal impedance levels, so that they can be easily matched with any active phono preamp MM and even correctly set-up MC ones, without the need of any Step-Up transformer .


<p>DONATELLO RED</p>	<p>MC High Output Phono Cartridge 1,7 mV Frequency response: 10-35000Hz Impedance: 140Ω Suggested load: 47KΩ Compliance: 12×10-6cm/dyne Channel separation: > 24dB Channel balance: < 1dB Suggested tracking weight: 1.8 to 2.1g Cantilever: Aluminum Diamond: Micro Elliptical Coil Wire: Copper Magnet: Samarium-Cobalt Mounting hole diamond distance: 9mm Solid block machined Duraluminium alloy</p>		<p>630</p>
-----------------------------	--	---	------------

DONATELLO GOLD	<p>MC low Output Phono Cartridge 0,5 mV Frequency response: 10-40000Hz Impedance: 40Ω Suggested load: 470Ω Compliance: 12x10-6cm/dyne Channel separation: > 25dB Channel balance: < 1db Suggested tracking weight: 1.8 to 2.1g Cantilever: Aluminum Diamond: Micro Elliptical Coil Wire: Copper Magnet: Samarium-Cobalt Mounting hole diamond distance: 9mm Solid block machined Duraluminium alloy</p>		950
ΚΕΦΑΛΕΣ GRADO	<p>GRADO GREEN 5 mV GRADO BLUE 5 mV GRADO RED 5 mV</p>		<p>90 110 130</p>
BABELE MM	<p>MM phono cartridge - 3mV - Mass 6g - Tracking Weight 1.5 - 2.0g- 470ohm - 20-20.000 Hz – Elliptical Tip</p>		110
BABELE MC	<p>ΚΕΦΑΛΗ BABELE HIGH MC 2 mV - DELRIN ΚΕΛΥΦΟΣ</p>		590
BOBOLINO DIM	<p> DIM phono cartridge - 3mV - Mass 7,5g - Tracking Weight 1.5 - 1.8g - 600ohm - 20-20.000 Hz - Compliance 15x10-6cm/dyne – Elliptical Tip</p>		450
VASARI RED	<p>ΚΕΦΑΛΗ MM 4mV - ALNICO magnet – weight 7gr. – Tracking weight 2gr. – 47Kohm – 20-40.000 Hz – Compliance 10 Cu</p> <p></p>		210
VASARI GOLD	<p>ΚΕΦΑΛΗ MM 4mV - ALNICO magnet – weight 9,5gr. – Tracking weight 2gr. – 47Kohm – 20-40.000 Hz – Compliance 10 Cu</p> <p></p>		370
MACHIAVELLI RED	<p>MC High-Output phono cartridge – 2mV - Mass 10g - Tracking Weight 1.8 – 2.1g - 120ohm - 10-40.000 Hz - 10x10-6cm/dyne – Elliptical Tip</p>		1.460
MACHIAVELLI GOLD	<p>MC High-Output phono cartridge – 1,2mV - Mass 10g - Tracking Weight 1.8 – 2.1g - 70ohm - 10-45.000 Hz - 10x10-6cm/dyne - Boron stylus Line Contact Diamond Tip</p>		2.690

TUSCANY RED MC	 MC phono cartridge - 0,35mV- Mass 11g - Tracking Weight 1.8 – 2.1g - 20ohm - 10-50.000 Hz. - Compliance 10x10-6cm/d - Boron stylus Micro Ridge Diamond Tip		4.750
TUSCANY GOLD MC	 MC phono cartridge - 0,25mV- Mass 11g - Tracking Weight 1.8 – 2.1g - 4 ohm – silver coils - 5-55.000 Hz. – magnet samarium-cobalt - Compliance 10x10-6cm/d - Boron cantilever - Super Micro Ridge Diamond Tip- channer separation > 35 db		7.250
DSA -150	DUAL-MONO ΟΛΟΚΛΗΡΩΜΕΝΟΣ ΕΝΙΣΧΥΤΗΣ 2 X 150W RMS 8 Ω DIGITAL BALANCED - PRE OUT / AMPL IN ACTIVE VOLUME CONTROL PREAMP STAGE E-CORE POWER SUPPLY - ΤΗΛΕΚΟΝΤΡΟΛ		4.250
DEMIDOFF Small	ΕΝΙΣΧΥΤΗΣ 2 X 50 watt RMS / 8 Ω VuMeter ΜΕ ΞΕΧΩΡΙΣΤΗ ΤΡΟΦΟΔΟΣΙΑ 5 ΕΙΣΟΔΟΙ - ΔΙΑΚΡΙΤΑ ΕΞΑΡΤΗΜΑΤΑ ΕΠΙΛΕΓΜΕΝΑ. ΤΗΛΕΚΟΝΤΡΟΛ		2.540
DEMIDOFF STANDARD	ΕΝΙΣΧΥΤΗΣ 2 X 50 watt RMS 8 Ω 4 ΜΕΤΑΣΧΗΜΑΤΙΣΤΕΣ ΤΡΟΦΟΔΟΣΙΑΣ VuMeter ΜΕ ΞΕΧΩΡΙΣΤΗ ΤΡΟΦΟΔΟΣΙΑ 5 ΕΙΣΟΔΟΙ – ΤΗΛΕΚΟΝΤΡΟΛ – ΔΙΑΚΡΙΤΑ ΕΞΑΡΤΗΜΑΤΑ ΕΠΙΛΕΓΜΕΝΑ. 48X48X27 - ΤΗΛΕΚΟΝΤΡΟΛ		4.200
DEMIDOFF SIGNATURE	ΕΝΙΣΧΥΤΗΣ 2 X 50 watt RMS / 8 Ω 8 ΜΕΤΑΣΧΗΜΑΤΙΣΤΕΣ ΚΑΙ ΤΣΟΚ ΤΡΟΦΟΔΟΣΙΑΣ VuMeter ΜΕ ΞΕΧΩΡΙΣΤΗ ΤΡΟΦΟΔΟΣΙΑ -5 ΕΙΣΟΔΟΙ – ΤΗΛΕΚΟΝΤΡΟΛ – ΔΙΑΚΡΙΤΑ ΕΞΑΡΤΗΜΑΤΑ ΕΠΙΛΕΓΜΕΝΑ 48X48X27 ΤΗΛΕΚΟΝΤΡΟΛ		5.300
PHONO DE MEDICI	PHONO MM-MC		1.180
PHONO-1 MKII	PHONO MM – MC - .METAL CASE		660
STEROID 1 mkII	Dual-Mono ΟΛΟΚΛΗΡΩΜΕΝΟΣ ΕΝΙΣΧΥΤΗΣ 2 X 25 W RMS. 4 ΕΙΣΟΔΟΙ – ΧΕΙΡΟΠΟΙΗΤΗ ΤΡΟΦΟΔΟΣΙΑ ΚΑΙ ΕΙΣΟΔΟΙ ΜΕ ΠΛΑΚΕ ΧΑΛΚΟ OFC .ΑΚΡΥΛΙΚΗ ΠΡΟΣΟΨΗ ΓΥΑΛΙΣΜΕΝΗ . -> ΑΣΗΜΙ ΠΡΟΣΟΨΗ		1.480
STEROID 1 Signature mkII	Dual-Mono ΟΛΟΚΛΗΡΩΜΕΝΟΣ ΕΝΙΣΧΥΤΗΣ 2 X 35 W RMS. 4 ΕΙΣΟΔΟΙ – ΧΕΙΡΟΠΟΙΗΤΗ ΤΡΟΦΟΔΟΣΙΑ ΚΑΙ ΕΙΣΟΔΟΙ ΜΕ ΠΛΑΚΕ ΧΑΛΚΟ OFC .ΑΚΡΥΛΙΚΗ ΠΡΟΣΟΨΗ ΓΥΑΛΙΣΜΕΝΗ. ΤΗΛΕΚΟΝΤΡΟΛ		1.950

SOUNDMASTER Limited Edition	<i>Dual-Mono ΟΛΟΚΛΗΡΩΜΕΝΟΣ ΕΝΙΣΧΥΤΗΣ 2 X 50 W RMS. 4 ΕΙΣΟΔΟΙ – ΧΕΙΡΟΠΟΙΗΤΗ ΤΡΟΦΟΔΟΣΙΑ ΚΑΙ ΕΙΣΟΔΟΙ ΜΕ ΠΛΑΚΕ ΧΑΛΚΟ ΟFC .ΠΡΟΣΨΗ ΑΛΟΥΜΙΝΟΥY – ΜΕΤΑΣΧΗΜΑΤΙΣΤΕΣ ΤΟΡΟΕΙΔΕΙΣ .</i>		<i>1.680</i>
S-1			<i>1.950</i>
S-1 signature	<i>Dual-Mono ΟΛΟΚΛΗΡΩΜΕΝΟΣ ΕΝΙΣΧΥΤΗΣ 2 X 60W RMS. ΘΗΛΕΚΟΝΤΡΟΛ PHONO mm-mc optional + 170 e</i>		<i>2.050</i>
S-3	<i>Dual-Mono ΟΛΟΚΛΗΡΩΜΕΝΟΣ ΕΝΙΣΧΥΤΗΣ 2 X 70W RMS. ΘΗΛΕΚΟΝΤΡΟΛ – PHONO mm-mc optional + 170 e</i>		<i>2.360</i>
S-3 Signature	<i>Dual-Mono ΟΛΟΚΛΗΡΩΜΕΝΟΣ ΕΝΙΣΧΥΤΗΣ 2 X 100W RMS. ΘΗΛΕΚΟΝΤΡΟΛ – PHONO mm-mc optional + 170 e</i>		<i>2.640</i>
IC PHONO S-AMPLIFIER	<i>4 TEM IC DIP-8 OPA-27GP BURR-BROWN OP-37 G ANALOG DEVICES AD-797 ANALOG DEVICES</i>		<i>150</i>
A-6 XL	 <i>90dB - 6ohm - 3way tower 105cm tall, 19cm large, 28,5cm deep – 1” dome Tweeter - 2x5” Mid-Woofer - 6” symmetrical subwoofer - 35Hz-20kHz – Tuning recessed aluminium side panels – Bi-wiring Gold Note binding posts</i>		<i>4.400</i>
A-6 SLE LEATHER	<i>HXEIO A6 SLE 89 db / 6 Ω NEW ΚΟΛΩΝΑ - NATURAL LEATHER GREY SHAGR 2 MID-WOOFER ΧΑΡΤΙΝΑ – TWEETER SILK DOME 2 ½ ΔΡΟΜΩΝ 100χ19χ19 cm</i>		<i>3.770</i>
A – 3 XO	<i>REFERENCE MINI MONITOR / LS3/5A TYPE ΙΤΑΛΙΚΗ ΚΑΡΥΔΙΑ - 87 db/w/m – 8 ohm – Tweeter 28mm soft dome – Woofer 130mm treated paper – 50Hz/20000Hz +/- 1,5dB – Διαστάσεις (19x19x30 cm LxDxH) 12 κιλά ΑΚΟΥΣΤΙΚΗΣ ΑΝΑΡΤΗΣΗΣ & BASS REFLEX</i>		<i>1.590</i>

A-3 XO SPECIAL FINISH	REFERENCE MINI MONITOR / LS3/5A TYPE HXEIO MAPLE (ξανθο) WITH MANY STRIPES DARK MAHOGANY HIGH GLOSS WALNUT ITALIAN SEMIGLOSS <i>Διαστάσεις (19x19x30 cm LxDxH)</i> <i>12 κιλα ΑΚΟΥΣΤΙΚΗΣ ΑΝΑΠΤΗΣΗΣ & BASS REFLEX</i>		1.680
SPEAKER STAND	Stand – 75cm height Lacquered – 19x21cm speaker board – Special “X” bass extender design - adjustable aluminum spikes		1.250
GALILEO	Lacquered Rack shelf – 45mm Rack triple layer coupled Lacquered black or white shelf completed with Hourglass machined aluminium and bronze insert feet	Main Shelf Short Feet Shelf Long Feet Shelf	880 880 880
GALILEO Deluxe	Massive Wood Rack shelf – 45mm Rack triple coupled Massive Italian Walnut and S/Steel layer shelf completed with Hourglass machined aluminium and bronze insert feet	Main Shelf Short Feet Shelf Long Feet Shelf	1.480 1.480 1.480



STIBBERT II CD 24 bit / 96 KHZ PLAYER με ΑΝΑΠΤΗΣΗ !
ΛΑΜΙΑΤΟ ΣΤΑΔΙΟ ΕΞΟΔΟΥ- FULL BALANCED
CLASS A` - INVERT PHASE

VALORE 425 PLUS



ACRYLIC



BLACK MDF

ΑΞΕΣΟΥΑΡ

ARNO-6	ΠΟΛΥΜΠΙΖΟ 6 ΣΟΥΚΟ- COPPER solid core Wire GOLDNOTE QUANTUM FILTER & EMI-RFI 3 DIGITAL ΣΟΥΚΟ 10 A – 6 A – 3 A 3 ANALOG SCHUKO 10 A – 6 A – 3 A	Black	435
---------------	--	--------------	------------

			
ARNO-6 PLUS	ΠΟΛΥΜΠΡΙΖΟ 6 ΣΟΥΚΟ COPPER solid core Wire Με επένδυση μαυροῦ δερματός – κόκκινου δερματός GOLDNOTE QUANTUM FILTER & EMI-RFI 3 DIGITAL ΣΟΥΚΟ 10 A – 6 A – 3 A 3 ANALOG SCHUKO 10 A – 6 A – 3 A	Black – red	790
			
ARNO EXTRA	AC Power distributor - 6 Schuko plug distributor Solid Core Hybrid Design Silver & Copper Analogue a digital plugs separated and singularly shielded		1.450
MIDAS Tube dampers standard	Αποσβεστικό και ψυκτικά λυχνίων , κατασκευασμένο από κραμα αλουμινίου/μπροντζό/και ξύλο Ebony. Σετ 2 τεμ. Ενδεικνύται σε μικρές λυχνίες όπου αποσβάνει όλους τους κραδασμούς από το γυαλί και εξασφαλίζει μεγαλύτερη ζωή με την απαγωγή της θερμότητας λόγω των ελατηρίων.		180
MIDAS EBONY tube dampers	Αποσβεστικό και ψυκτικά λυχνίων , κατασκευασμένο από κραμα αλουμινίου/μπροντζό/και ξύλο Ebony. Σετ 2 τεμ. Ενδεικνύται σε μικρές λυχνίες όπου αποσβάνει όλους τους κραδασμούς από το γυαλί και εξασφαλίζει μεγαλύτερη ζωή με την απαγωγή της θερμότητας λόγω των ελατηρίων.		195
DIOSPYROS I	ΑΝΤΙΚΡΑΔΑΜΙΚΟΙ ΚΩΝΟΙ ΑΠΟ PLEXIGLASS ΜΠΡΟΥΤΖΟ / ΑΤΣΑΛΙ ΜΕ ΕΣΩΤΕΡΙΚΟ ΛΑΒΥΡΙΝΘΟ ΣΕΤ 3 ΤΕΜ.		240
KYMYAS	Vinyl Treatment - Restoring scratched L.P. KIT based on a double treatment		60
GALAKTOS	ΒΕΛΤΙΩΤΙΚΟ ΥΓΡΟ ΠΟΙΟΤΗΤΑΣ ΔΙΣΚΩΝ CD . αντιοξειδωτικό.		60
ROOM TUNE PILLOWS	10 τεμ. ΗΧΟΑΠΟΡΡΟΦΗΤΙΚΑ ΔΩΜΑΤΙΟΥ ΑΚΡΟΑΣΗΣ. 4 ΤΕΜ 20x120, 4 CORNER 40x40x40, 2 ECHO 25x40 ΜΑΞΙΛΑΡΙΑ . ΠΡΟΣΦΕΡΕΙ ΜΕΙΩΣΗ ΤΟΥ ΧΡΟΝΟΥ ΑΝΤΗΧΗΣΗΣ ΚΑΙ ΚΑΘΑΡΙΖΕΙ ΤΗΝ ΕΙΚΟΝΑ .		440
ΠΑΛΥΝΤΗΡΙΟ CD – DVD + 1 ΛΙΤ ΥΓΡΟ ΑΝΤΑΛΛΑΚΤΙΚΟ ΥΓΡΟ 1 ΛΙΤ			120,00 24,50
HEADSHELL ΑΛΟΥΜΙΝΙΟΥ – ΤΥΠΟΥ SME ΑΠΟΣΠΩΜΕΝΟ			22,50

<p>ΜΕΤΑΤΡΟΠΕΑΣ καλωδίου ΠΙΚΑΠ Σπολικό → RCA CARDAS</p> 	230,00
<p>SORBOTHANE Q FEET ΣΕΤ 4 ΤΕΜ AUDIO QUEST ΣΤΡΟΓΓΥΛΑ</p>	85,00
<p>SORBOTHANE BIG FEET ΣΕΤ 4 ΤΕΜ ΑQ</p>	75,00
<p>ΖΥΓΑΡΙΑ ΗΛΕΚΤΡΟΝΙΚΗ ΚΕΦΑΛΩΝ ΑΚΡΙΒΕΙΑΣ – ΚΟΥΜΠΙΑ ΕΠΑΦΗΣ</p> 	68,40
<p>ΖΥΓΑΡΙΑ ΚΕΦΑΛΩΝ ΠΙΚΑΠ SHURE</p> 	29,50
<p>ΥΓΡΟ ΚΑΘΑΡΙΣΜΟΥ ΔΙΣΚΩΝ 80mL ΣΠΙΡΕΥ ΑΝΤΙΣΤΑΤΙΚΟ</p>	9,90
<p>ΕΞΩΦΥΛΛΑ ΔΙΣΚΩΝ ΝΑΥΛΟΝ ΣΕΤ 50 ΤΕΜ</p>	16,60
<p>ΕΞΩΦΥΛΛΑ ΔΙΣΚΩΝ ΑΝΤΙΣΤΑΤΙΚΑ ΑΣΠΡΑ ΣΕΤ 50 ΤΕΜ</p>	16,90
<p>TRANSISTOR TIP-142 / TIP-147 5 ΖΕΥΓΗ matched pairs</p>	22,00
<p>CD MAT CARBON FIBER ΒΕΛΤΙΩΣΗ CD /DVD/BLUERAY</p> 	88,70
<p>ΡΑΟΥΛΟ 33/45/78 RPM GOLDENOTE –ρυθμιζομενη διαμετρος & ταχυτητα.</p>	67,50
<p>VTA LIFTER for REGA ARMS – BRASS – double piece</p>	55,00
<p>ΔΙΣΚΟΣ LP ALSO SPRACH ZARATUSTRA FRITZ REINER CHICAGO SYMPHONY ORCHESTRA 45 rpm – 180 gr HQ VINYL - GOLDENOTE SUPERVISION PRODUCTION</p> 	37,50
<p>ΔΙΣΚΟΣ LP OUT OF THE COOL – THE GIL EVANS ORCHESTRA 45 rpm 180 gr HQ VINYL - GOLDENOTE PRODUCTION</p> 	37,50

<p>ΔΙΣΚΟΣ LP HENRY MANCINI HATAPI 45 rpm 180 gr HQ VINYL - GOLDENOTE PRODUCTION</p> 	36,40
<p>ΔΙΣΚΟΣ LP ELISABETA SERIO (NEW JAZZ) 45 rpm 180 gr HQ VINYL - GOLDENOTE PRODUCTION</p>	39,80
<p>ΔΙΣΚΟΣ LP ALESSANDRO ZILLI Guitar Ballads – Half Speed (ORIGINAL Series) 45 rpm 180 gr HQ VINYL - GOLDENOTE PRODUCTION</p>	39,80
<p>ΔΙΣΚΟΣ LP TEST RECORD - GOLD NOTE Super Test Record - GOLDENOTE PRODUCTION</p>	44,50
<p>ΔΙΣΚΟΣ LP BILLIE HOLIDAY – BODY & SOUL</p>	39,80
<p>ΔΙΣΚΟΣ LP HARRY BELAFONTE - Live at Carnegie Hall - 3 LP SET</p>	66,50
<p>ΔΙΣΚΟΣ LP DT-01 BEATLES - LONELY HEARTS</p>	39,50
<p>ΔΙΣΚΟΣ LP DT 02</p>	39,50
<p>CD E.SERIO-APRIL</p>	17,70
<p>CD MORO QUARTET</p>  <p>Αριστη ηχογράφηση αναφοράς με την συνεργασία 3 εταιριων : (ROSSO FIORENTINO / NORTHSTAR / AUDIO GRAFFITI)</p>	28,00



A-3 1° ΣΤΟ ΤΕΣΤ ΤΟΥ HI-FI NEWS
ΑΝΑΜΕΣΑ ΣΕ 8 ΗΧΕΙΑ !!



B-5 TONEARM (bearings)



MIDAS TUBE DUMPERS



U3 ΒΡΑΧΙΟΝΑΣ
Unipivot – aluminium

*Ξεπρναι σε αποδοση βραχιονες
πολλαπλασιας τιμης .*

MEDITERRANEO

